

Cerro Las Minitas Property, Durango, Mexico 2011-2017 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
11CLM-008	74.5	75.1	0.6	0.3	166	0.02	0.31	5.9	7.9	680
	168.4	179.3	10.9	5.0	268	0.09	0.03	4.5	3.8	566
	inc. 168.4	171.7	3.3	1.5	818	0.20	0.10	12.9	10.9	1670
inc.	169.6	171.4	1.8	0.9	1400	0.34	0.04	19.7	14.5	2617
11CLM-011	63.1	71.9	8.8	6.4	67	0.10	0.10	2.0	2.2	231
	inc. 65.8	68.4	2.6	1.9	179	0.06	0.35	5.6	6.6	645
	131.6	136.6	5.0	3.6	224	0.35	0.04	4.2	5.8	602
inc.	132.8	135.6	2.8	2.0	380	0.40	0.10	5.8	10.2	978
11CLM-012	90.6	93.8	3.2	2.2	110	0.36	0.02	0.6	0.1	160
	109.2	113.6	4.4	3.0	141	0.10	0.50	5.0	7.1	623
	inc. 109.2	111.4	2.2	1.5	259	0.13	0.88	9.1	11.8	1092
11CLM-013	121.8	125.7	3.9	2.7	54	0.10	0.00	1.8	1.4	172
	inc. 121.8	122.5	0.7	0.5	218	0.07	0.12	6.7	5.1	644
11CLM-014	330.9	333.8	2.9	2.1	111	0.30	0.00	0.9	0.8	191
	inc. 333.1	333.8	0.6	0.4	414	0.83	0.00	2.1	2.3	625
	363.9	369.2	5.3	3.8	54	0.00	0.20	1.5	2.8	226
inc.	366.8	369.2	2.4	1.7	100	0.07	0.48	2.5	5.2	425
11CLM-015	32.3	33.1	0.9	0.7	247	0.02	0.25	6.5	3.1	607
	51.6	52.3	0.7	1	116	0.04	0.31	4.3	2.7	394
11CLM-016	152.4	164.1	11.7	6.5	114	0.02	0.19	3.3	4.9	421
	inc. 155.3	159.8	4.5	2.5	193	0.03	0.26	5.8	8.4	716
	inc. 158.2	159.8	1.6	0.9	390	0.07	0.52	11.9	17.1	1462
	168.9	169.8	0.9	0.5	142	0.00	0.20	5.3	4.3	497
	171.4	181.1	9.7	5.8	56	0.00	0.10	1.9	2.1	206
inc.	176.4	181.1	4.7	2.8	92	0.00	0.20	3.3	3.1	336
11CLM-017	99.6	101.2	1.6	1.0	217	0.10	0.08	2.8	1.3	374
	104.4	105.1	0.7	0	67	0.01	0.10	1.4	6.5	358
11CLM-018	159.5	160.4	0.9	0.6	330	0.14	0.06	3.9	0.2	483
	187.3	191.7	4.4	3.0	93	0.03	0.05	1.8	1.9	230
	inc. 188.9	191.7	2.8	1.9	135	0.02	0.06	2.5	2.6	321
	inc. 191.3	191.7	0.4	0.3	757	0.09	0.17	11.9	15.2	1725
209.2	211.7	2.5	1.7	209	0.02	0.48	6.7	6.5	722	
11CLM-019	229.9	231.2	1.3	0.7	126	0.17	0.07	3.1	3.6	378
	inc. 230.9	231.2	0.3	0.2	359	0.53	0.22	8.1	9.3	1025
11CLM-021	66.1	66.6	0.5	0.2	920	0.23	0.10	18.4	11.1	1971
11CLM-022	209.3	210.3	0.9	0.8	611	0.13	0.66	18.5	13.1	1786
	232.2	233.7	1.4	1.3	528	0.11	0.02	10.5	1.3	942
11CLM-023	251.5	252.7	1.2	0.8	52	0.02	0.22	0.3	4.8	259
	267.8	278.5	10.8	7.4	70	0.01	0.08	1.6	2.2	212
	inc. 270.7	272.1	1.4	1.0	217	0.02	0.23	6.2	8.7	765
	293.8	320.5	26.7	18.4	69	0.06	0.11	1.9	2.3	234
	inc. 300.1	311.6	11.5	7.9	140	0.06	0.20	4.2	4.9	480
inc.	308.7	311.6	2.9	2.0	280	0.02	0.25	9.5	10.3	997
11CLM-024	119.1	124.7	5.7	3.2	71	0.16	0.11	1.8	1.5	208
	inc. 119.1	120.0	0.9	0.5	92	0.16	0.19	2.7	2.9	316
11CLM-025	NSV									
11CLM-026	69.0	72.0	3.0	2.1	165	0.00	0.10	5.5	4.5	525
	102.5	103.4	1.0	0.7	240	0.01	0.88	6.6	8.3	852
	116.3	117.8	1.5	1.1	127	0.01	0.17	4.2	4.9	465
	131.7	132.7	1.0	0.7	65	0.00	0.05	2.6	2.7	253
	141.5	142.4	0.9	0.6	75	0.00	0.04	2.8	3.0	280
11CLM-027	220.2	223.6	3.4	1.3	146	0.01	0.11	6.4	3.5	499
	433.8	435.6	1.8	0.7	161	0.01	0.31	2.1	4.0	410
11CLM-028	50.5	55.4	4.9	3.7	88	0.03	0.06	2.0	0.9	195
	89.3	90.3	1.1	0.8	87	0.06	0.04	3.4	2.8	312
	113.6	114.6	1.1	0.8	79	0.01	0.09	2.6	3.4	299
	115.6	116.8	1.3	0.9	146	0.01	0.14	4.7	7.8	598
12CLM-030	284.8	287.0	2.1	1.2	76	0.01	0.15	2.8	3.4	307
	inc. 286.0	287.0	0.9	0.5	119	0.01	0.19	4.5	5.8	501
	329.9	330.9	1.0	0.6	250	0.00	0.26	10.7	16.9	1245
11CLM-032	344.3	349.5	5.2	2.8	95	0.09	0.02	1.6	2.3	241
	inc. 347.5	349.5	2.1	1.1	138	0.04	0.04	2.2	3.4	342
	378.4	382.1	3.7	2.0	159	1.47	0.07	4.1	4.5	569
	inc. 378.4	380.7	2.3	1.3	204	2.03	0.05	5.0	5.1	700
443.8	445.9	2.1	1.1	76	0.02	0.51	1.3	1.3	222	

Cerro Las Minitas Property, Durango, Mexico 2011-2017 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE (Continued)										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
12CLM-034	63.0	115.5	52.5	26.8	16	0.01	0.04	0.5	0.6	58
inc	79.5	81.2	1.7	0.8	119	0.02	0.15	3.3	3.9	388
and inc.	106.4	108.4	2.1	1.0	70	0.01	0.23	3.1	5.1	382
and inc.	114.0	115.5	1.5	0.8	46	0.02	0.34	4.5	2.6	330
	170.7	172.2	1.5	0.7	338	0.02	0.48	11.1	15.9	1330
	202.2	204.7	2.5	1.1	98	0.14	0.05	3.1	1.8	281
	233.0	235.4	2.4	1.1	147	0.03	0.19	4.4	6.9	563
12CLM-041	101.6	103.9	2.3	1.6	44	0.01	0.02	1.2	0.8	118
	117.4	117.9	0.6	0.4	276	0.03	0.04	5.3	0.1	469
	138.5	143.1	4.6	3.1	203	0.03	0.26	4.9	4.2	552
inc	141.9	143.1	1.2	0.8	499	0.09	0.43	10.4	10.4	1272
12CLM-042	190.1	191.7	1.6	1.0	72	0.14	0.05	0.6	0.2	114
12CLM-043	159.1	159.6	0.5	0.4	93	0.00	0.00	1.3	0.1	141
	177.8	182.0	4.2	3.2	145	0.02	0.36	2.7	2.0	350
inc.	177.8	178.2	0.4	0.3	119	0.02	0.03	2.6	0.1	214
and	180.6	182.0	1.3	1.0	398	0.04	1.11	7.3	6.2	988
12CLM-045	194.1	194.9	0.8	0.6	421	0.04	0.25	15.2	6.8	1213
	216.5	218.1	1.6	1.1	36	0.01	0.04	1.2	1.1	123
	229.5	230.1	0.6	0.4	103	0.00	0.04	3.7	3.6	362
12CLM-047	162.6	167.0	4.4	3.0	186	0.02	0.16	5.6	4.6	557
inc.	162.6	165.5	2.9	1.9	254	0.02	0.18	7.8	4.9	716
	186.8	189.6	2.8	1.8	71	0.01	0.11	2.0	2.9	255
inc.	189.0	189.6	0.6	0.4	202	0.01	0.28	5.5	8.1	705
12CLM-049	108.4	111.1	2.7	2.3	87	0.37	0.19	5.4	5.3	504
	116.7	117.2	0.5	0.4	1040	0.10	0.01	16.7	2.9	1724
	168.8	172.2	3.4	2.9	97	0.02	0.20	2.5	2.1	280
inc.	168.8	170.2	1.4	1.2	93	0.02	0.26	2.3	3.0	306
12CLM-051	8.3	9.2	0.9	0.7	292	0.03	0.68	5.7	4.0	700
	50.9	70.9	20.0	14.7	143	0.04	0.02	2.4	0.6	254
inc.	60.7	66.9	6.2	4.6	238	0.05	0.01	3.2	0.1	359
inc.	63.0	63.9	0.9	0.7	833	0.14	0.02	8.8	0.1	1151
12CLM-053	35.8	38.0	2.2	1.6	87	0.02	0.29	2.4	0.4	214
	71.8	72.1	0.3	0.2	41	0.01	0.11	4.5	3.3	325
12CLM-054	169.0	170.7	1.7	1.2	230	0.01	0.23	6.2	9.3	798
12CLM-056	12.7	18.4	5.7	4.0	335	0.10	0.80	16.3	4.5	1146
inc.	13.6	17.8	4.2	2.9	409	0.12	1.02	20.5	4.0	1371
12CLM-057	350.2	350.6	0.4	0.3	127	0.02	0.00	4.3	4.2	424
12CLM-059	12.0	31.1	19.1	15.5	30	0.02	0.01	0.6	0.2	60
inc.	12.0	12.9	0.9	0.7	72	0.03	0.04	2.1	1.7	210
and inc.	29.8	31.1	1.3	1.0	65	0.01	0.01	1.6	0.2	130
	41.2	57.0	15.8	12.8	26	0.01	0.03	0.5	0.6	69
inc.	53.7	57.0	3.3	2.7	53	0.02	0.15	1.9	2.1	207
inc.	53.7	55.2	1.6	1.3	68	0.00	0.03	0.9	1.9	169
and inc.	55.2	57.0	1.8	1.4	39	0.03	0.25	2.8	2.2	241
12CLM-060	39.0	52.7	13.7	10.3	34	0.13	0.01	0.5	0.3	72
inc.	47.5	49.4	1.9	1.4	130	0.13	0.03	2.4	0.5	244
12CLM-061	86.3	96.8	10.6	8.6	114	0.01	0.03	2.8	0.9	246
inc.	86.3	87.5	1.3	1.0	382	0.02	0.18	9.9	5.1	924
and inc.	94.0	96.8	2.8	2.3	201	0.03	0.02	4.6	0.4	375
inc.	94.0	94.5	0.5	0.4	537	0.10	0.11	9.7	0.5	907
and inc.	96.0	96.8	0.8	0.7	247	0.02	0.00	6.7	0.6	499
12CLM-062	238.0	238.8	0.9	0.7	125	0.02	0.11	4.2	3.8	417
inc.	238.0	238.4	0.4	0.3	211	0.01	0.21	7.2	7.9	762
	263.4	269.5	6.1	5.2	62	0.04	0.03	1.6	0.1	126
inc.	263.4	265.5	2.1	1.8	82	0.03	0.05	2.0	0.0	160
and inc.	267.6	269.5	1.9	1.7	61	0.04	0.03	2.0	0.2	141
	280.0	282.6	2.6	2.2	160	0.01	0.47	3.7	2.9	437
	291.6	292.1	0.5	0.4	177	0.01	0.60	5.5	9.0	749
13CLM-066	62.8	63.8	1.1	0.4	4	8.60	0.00	0.1	0.1	595
	88.4	97.5	9.2	3.1	401	0.10	0.13	8.5	5.1	891
inc.	92.9	97.5	4.6	1.6	727	0.20	0.09	13.5	7.0	1462
inc.	92.9	95.0	2.1	0.7	1190	0.20	0.04	21.6	13.0	2408
	138.0	151.1	13.1	4.4	53	0.10	0.15	2.9	1.4	224
inc.	149.0	151.1	2.1	0.7	68	0.60	0.31	5.6	2.5	421
	165.8	176.8	11.0	3.7	53	0.10	0.14	3.9	3.5	331
13CLM-071	418.9	421.6	2.7	1.0	73	0.03	0.09	1.8	2.8	246
13CLM-072	102.5	102.8	0.3	0.2	87	0.03	0.11	1.9	1.0	201

Cerro Las Minitas Property, Durango, Mexico 2011-2017 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE (Continued)											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	
15CLM-076	456.0	458.2	2.2	1.6	56	0.08	0.02	1.4	1.8	174	
inc.	457.0	458.2	1.2	0.9	90	0.04	0.02	2.2	3.0	275	
15CLM-077	712.6	715.1	2.4	1.3	391	0.04	0.04	2.6	0.8	515	
inc.	712.6	713.3	0.6	0.3	1380	0.14	0.03	7.9	2.4	1749	
15CLM-023A	266.2	274.7	8.5	5.8	65	0.01	0.05	1.3	2.5	203	
inc.	266.2	268.5	2.3	1.6	102	0.01	0.13	3.1	4.7	391	
	284.7	299.5	14.8	10.1	231	0.27	0.19	4.5	3.7	554	
inc.	284.7	286.0	1.3	0.9	891	0.64	0.10	11.3	5.7	1533	
and inc.	288.1	295.4	7.3	5.0	237	0.23	0.30	5.4	4.7	633	
15CLM-081	575.3	582.9	7.6	4.0	43	1.09	0.34	0.5	2.8	270	
inc.	581.6	582.9	1.3	0.7	73	0.04	1.07	0.1	10.2	551	
	607.4	608.1	0.7	0.4	4	0.03	0.02	0.2	4.9	190	
15CLM-084	791.0	791.9	0.9	0.6	312	0.37	0.00	1.5	0.0	388	
inc.	800.2	815.9	15.7	9.4	90	0.22	0.01	0.4	0.3	130	
	800.2	801.0	0.9	0.5	189	0.19	0.10	1.4	3.2	375	
	825.6	826.2	0.6	0.4	193	0.02	0.09	4.3	5.6	550	
17CLM-095	575.5	579.3	3.8	2.9	27	0.02	0.02	0.5	3.0	155	
inc.	575.5	576.1	0.6	0.5	115	0.01	0.01	3.0	7.4	479	
17CLM-099	730.2	732.2	2.0	1.5	72	0.01	0.02	2.1	0.5	165	
inc.	731.2	732.2	1.0	0.8	112	0.02	0.02	3.3	0.1	232	

LAS VICTORIAS ZONE											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	
17CLM-101	229.9	247.4	17.6	12.5	154	1.98	0.21	3.2	3.9	558	
inc.	229.9	232.9	3.0	2.1	269	0.86	0.78	4.7	5.6	769	
and inc.	235.4	241.0	5.7	4.0	261	3.98	0.16	6.0	6.9	999	
17CLM-105	356.9	367.8	10.9	6.8	194	0.79	0.12	4.4	2.0	480	
inc.	356.9	360.1	3.3	2.0	551	0.85	0.23	11.9	4.7	1208	
inc.	358.2	359.1	0.9	0.6	1100	1.50	0.36	23.2	5.9	2244	

SKARN FRONT ZONE											
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	
11CLM-006	410.5	411.3	0.7	0.6	162	0.02	0.38	2.1	10.4	643	
	424.2	427.9	3.7	3.0	184	0.03	1.95	0.3	18.4	1056	
inc.	424.8	427.9	3.1	2.5	212	0.03	2.24	0.4	20.7	1197	
15CLM-023A	625.9	627.5	1.6	0.9	100	0.00	0.01	5.2	5.9	487	
inc.	625.9	626.7	0.9	0.5	137	0.01	0.02	7.5	8.5	700	
	637.0	638.8	1.9	1.0	85	0.03	0.12	0.9	3.8	265	
inc.	637.0	637.9	1.0	0.5	104	0.05	0.18	1.5	6.6	408	
	648.5	649.7	1.2	0.6	39	0.01	0.06	0.2	3.1	162	
	677.0	685.4	8.4	4.6	143	0.06	0.26	1.2	6.2	437	
inc.	681.9	685.4	3.5	1.9	263	0.13	0.27	2.4	12.2	817	
inc.	681.9	682.7	0.8	0.4	320	0.05	0.50	1.4	29.6	1470	
11CLM-025 (extended in 2015)	485.6	505.4	19.9	16.4	113	0.54	0.37	0.9	3.6	348	
inc.	488.9	499.7	10.8	8.9	182	0.97	0.51	1.6	6.4	583	
and inc.	493.6	496.0	2.4	2.0	534	0.12	1.77	4.6	14.2	1391	
	516.3	522.0	5.8	4.7	79	0.07	0.37	0.2	0.3	141	
	602.3	605.1	2.8	2.3	185	0.40	0.13	1.1	0.1	267	
inc.	603.4	605.1	1.7	1.4	238	0.57	0.16	1.1	0.1	332	
13CLM-066	534.6	585.2	50.6	29.5	41	0.01	0.01	0.7	5.3	255	
inc.	546.0	561.0	15.0	8.7	67	0.01	0.01	0.5	6.0	296	
and inc.	573.0	585.2	12.2	7.1	45	0.01	0.02	1.7	10.8	489	
	633.3	642.6	9.3	5.4	9	0.00	0.13	0.1	13.0	487	
inc.	638.2	640.4	2.1	1.3	14	0.01	0.41	0.0	20.6	787	
13CLM-071	683.4	687.5	4.1	3.2	44	0.01	0.00	0.6	4.7	234	
inc.	683.4	685.4	2.0	1.6	82	0.01	0.00	1.1	8.2	410	

Cerro Las Minitas Property, Durango, Mexico 2011-2017 Composite Summary Spreadsheet Divided by Zone

SKARN FRONT ZONE (Continued)										
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
15CLM-081	616.1	632.9	16.8	10.0	136	0.02	0.52	0.3	4.5	361
inc.	616.1	620.2	4.1	2.4	160	0.03	0.60	0.4	12.0	663
	645.2	654.3	9.1	5.4	24	0.02	0.27	0.0	3.9	192
inc.	650.8	654.3	3.5	2.0	36	0.05	0.52	0.0	8.8	406
	710.2	712.3	2.1	1.2	32	0.01	0.45	1.5	2.3	211
	717.6	720.0	2.4	1.4	66	0.01	0.84	0.1	0.2	163
16CLM-087	723.3	732.8	9.6	7.6	20	0.02	0.27	0.1	1.0	87
inc.	723.3	724.5	1.3	1.0	50	0.06	0.05	0.3	2.2	145
and inc.	728.6	729.4	0.8	0.6	96	0.04	2.82	0.5	4.9	585
	809.5	811.6	2.1	1.7	23	0.02	0.42	0.0	0.1	72
inc.	810.4	811.6	1.3	1.0	38	0.03	0.68	0.0	0.1	115
16CLM-088	134.1	135.0	1.0	0.5	26	0.03	0.01	0.8	0.3	66
	683.7	714.0	30.4	16.2	107	0.07	0.40	1.1	2.3	275
inc.	683.7	691.0	7.3	3.9	190	0.13	0.37	3.4	5.5	552
and inc.	702.3	714.0	11.8	6.3	100	0.04	0.48	0.6	1.9	242
inc.	712.7	714.0	1.3	0.7	178	0.01	0.86	2.0	3.3	453
16CLM-089	917.9	943.9	26.0	20.5	1	0.32	0.01	0.0	0.0	25
	981.5	1052.0	70.5	55.5	13	0.02	0.23	0.1	0.1	45
inc.	1014.7	1024.0	9.4	7.4	30	0.06	0.69	0.1	0.2	118
and inc.	1022.4	1024.0	1.6	1.3	63	0.07	1.89	0.1	0.3	281
16CLM-091	549.0	551.6	2.6	2.2	12	0.03	0.04	0.2	0.5	40
	646.2	658.4	12.2	10.5	21	0.21	0.01	0.0	0.0	37
	662.8	677.9	15.1	13.1	39	0.01	0.05	0.1	10.2	411
inc.	667.5	672.3	4.8	4.2	39	0.02	0.12	0.1	23.2	877
17CLM-094	788.8	798.6	9.8	7.2	65	0.01	0.02	0.3	5.0	253
inc.	794.2	798.6	4.4	3.2	92	0.01	0.02	0.4	7.1	361
17CLM-095	691.3	700.3	9.0	6.0	602	0.05	0.05	7.1	17.9	1488
inc.	693.0	700.3	7.3	4.9	737	0.05	0.06	8.6	21.8	1814
17CLM-096	969.8	978.5	8.7	5.7	23	0.01	0.29	0.1	0.8	87
inc.	969.8	971.1	1.3	0.8	58	0.01	0.16	0.4	3.4	211
17CLM-097	1080.6	1082.6	2.0	1.2	131	0.05	0.02	0.3	4.5	308
inc.	1080.6	1082.1	1.5	0.9	158	0.07	0.02	0.3	5.0	352
17CLM-098	1086.0	1139.8	53.8	33.4	105	0.02	0.95	0.3	0.4	230
inc.	1086.5	1101.0	14.5	9.0	288	0.05	2.03	0.8	1.2	575
inc.	1092.6	1096.7	4.1	2.5	686	0.08	3.65	1.0	1.7	1171
17CLM-100	723.1	724.7	1.6	0.8	4	0.00	0.01	0.0	2.4	90
	727.7	729.0	1.3	0.6	2	0.00	0.01	0.0	2.5	93
17CLM-101	452.5	462.6	10.1	8.8	220	0.04	0.35	3.6	5.4	574
inc.	456.9	459.2	2.3	2.0	373	0.06	0.88	7.4	10.3	1089
17CLM-103	859.3	864.4	5.2	4.0	27	0.01	0.01	0.4	2.6	134
inc.	859.3	860.2	1.0	0.7	126	0.03	0.00	1.7	8.2	480
17CLM-105	507.6	520.9	13.3	11.3	105	0.05	0.15	0.5	0.4	153
inc.	510.6	513.2	2.5	2.2	318	0.11	0.41	1.4	0.8	444
	525.9	534.7	8.9	7.5	69	0.07	0.26	0.3	1.1	152
inc.	529.8	530.5	0.8	0.6	195	0.04	1.10	0.8	4.4	498
	557.9	558.5	0.6	0.5	56	0.18	2.53	0.0	0.0	337
17CLM-106	889.3	891.7	2.5	1.9	88	0.03	0.04	0.2	10.3	465
	921.3	930.4	9.1	7.1	22	0.00	0.00	0.0	3.6	153
inc.	926.2	930.4	4.2	3.3	30	0.01	0.00	0.1	5.8	238
	941.6	943.4	1.8	1.4	30	0.10	0.11	0.0	20.7	782

*Estimated true thickness recalculated based on the January 2018 43-101 resource estimate

EL SOL ZONE										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
11CLM-006	55.8	56.2	0.4	0.2	84	0.02	0.05	2.5	3.3	293
	73.8	75.4	1.7	0.9	68	0.02	0.14	1.5	1.6	188
	215.5	223.3	7.8	4.2	221	0.14	0.08	6.2	2.1	525
inc.	221.5	223.3	1.8	1.0	650	0.40	0.12	16.0	0.8	1267
11CLM-011	306.3	319.8	13.6	10.6	38	0.10	0.10	1.6	1.9	178
inc.	306.3	306.7	0.4	0.3	178	0.10	0.50	6.8	4.8	641
inc.	316.7	319.2	2.4	1.9	75	0.04	0.10	3.6	4.2	362
11CLM-012	234.9	236.1	1.2	0.9	132	0.04	0.11	0.3	5.6	355
	248.4	248.8	0.4	0.3	50	0.03	0.05	2.2	4.6	296
11CLM-015	147.4	148.7	1.3		165	0.00	0.18	6.2	2.4	480
inc.	147.4	148.1	0.7		276	0.00	0.33	10.6	3.0	779

Cerro Las Minitas Property, Durango, Mexico 2011-2017 Composite Summary Spreadsheet Divided by Zone

EL SOL ZONE (Continued)											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	
11CLM-027	0.6	25.4	24.8	9.3	124	0.03	0.09	1.9	2.1	273	
inc.	9.0	11.8	2.8	1.1	404	0.00	0.02	1.4	2.5	542	
and inc.	20.9	22.4	1.5	0.6	125	0.00	0.08	2.6	4.0	362	
	34.8	36.1	1.4	0.5	26	0.00	0.04	0.8	1.7	119	
	48.1	50.8	2.7	1.0	45	0.02	0.07	4.2	5.3	387	
inc.	49.7	50.8	1.1	0.4	88	0.02	0.12	7.9	8.6	677	
11CLM-029	96.6	99.3	2.7	1.9	52	0.01	0.04	2.4	0.8	169	
12CLM-036	NSV										
12CLM-038	24.0	41.7	17.7	8.9	20	0.00	0.04	0.4	0.7	62	
inc.	36.0	38.7	2.7	1.4	83	0.01	0.18	2.0	2.6	260	
inc.	38.0	38.7	0.7	0.4	167	0.02	0.50	6.2	3.6	563	
	59.5	74.5	15.0	7.5	29	0.01	0.03	0.3	1.1	80	
inc.	70.8	72.5	1.8	0.9	98	0.04	0.16	1.3	4.5	320	
12CLM-044	57.6	83.6	26.1	17.3	67	0.03	0.10	2.8	3.3	292	
inc.	61.1	63.2	2.1	1.4	130	0.02	0.18	5.8	6.3	570	
and inc.	71.0	72.8	1.8	1.2	163	0.03	0.44	6.9	8.8	757	
and inc.	78.3	80.7	2.5	1.6	153	0.06	0.10	6.3	7.5	649	
	96.0	97.1	1.1	0.7	265	0.06	0.24	12.4	12.9	1175	
12CLM-046	104.2	105.3	1.1	0.6	179	0.02	0.12	9.4	8.1	803	
	145.1	151.5	6.4	3.8	75	0.02	0.26	2.7	3.7	330	
inc.	147.7	150.1	2.4	1.4	98	0.02	0.17	3.7	7.9	523	
	195.5	201.4	5.9	3.5	133	0.02	0.84	1.3	0.5	285	
inc.	195.5	196.3	0.8	0.4	745	0.09	5.10	0.8	0.4	1328	
	208.2	211.5	3.3	2.0	74	0.01	0.13	4.0	1.2	264	
12CLM-048	24.1	24.8	0.7	0.4	60	0.02	0.22	2.0	2.1	227	
13CLM-071	505.5	508.5	3.0	1.0	56	0.02	0.20	1.3	4.1	267	
	591.0	595.5	4.5	1.5	115	0.01	0.02	2.7	4.2	361	
inc.	594.0	595.5	1.5	0.5	238	0.02	0.06	5.7	9.1	761	
15CLM-023A	406.5	407.5	1.0	0.7	55	0.18	0.02	2.9	2.3	251	
	431.8	432.7	0.9	0.6	39	0.01	0.00	1.3	1.2	129	
15CLM-076	541.1	542.1	1.0	0.7	51	0.00	0.13	1.2	4.1	252	
15CLM-077	269.2	273.8	4.6	2.5	47	0.01	0.03	1.2	0.7	116	
inc.	270.9	272.1	1.2	0.6	137	0.02	0.03	3.6	1.0	299	
	337.0	339.5	2.5	1.3	179	0.08	0.23	2.4	1.1	328	
inc.	337.0	338.8	1.9	1.0	236	0.11	0.31	3.1	1.2	426	
	451.5	469.1	17.6	9.4	16	0.00	0.08	0.7	0.7	77	
inc.	459.0	460.5	1.4	0.8	33	0.00	0.22	1.4	2.2	182	
15CLM-084	471.0	472.4	1.4	0.8	196	0.02	0.06	0.8	0.1	236	
	598.6	600.5	1.9	1.1	94	0.01	0.08	4.0	3.2	352	
inc.	599.7	600.5	0.8	0.5	191	0.01	0.17	8.0	6.4	712	
16CLM-087	529.1	532.0	2.9	2.3	5	0.21	0.00	0.1	0.0	25	
inc.	531.4	532.0	0.6	0.4	21	0.63	0.00	0.5	0.2	89	

LA BOCONA TARGET											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	
11CLM-002	93.7	94.3	0.6	0.4	94	0.02	0.02	1.6	3.3	269	
	104.0	105.9	1.9	1.2	124	0.02	0.21	2.2	1.1	261	
	135.6	136.9	1.3	0.9	170	0.09	0.06	0.5	0.2	208	
12CLM-035	251.2	251.7	0.5	0.3	153	0.10	0.02	2.9	0.4	276	
12CLM-037	118.9	130.3	11.4	8.0	7	0.30	0.01	0.3	0.2	47	
15CLM-078	77.8	85.6	7.8	3.9	37	13.51	0.01	2.2	1.7	1093	
inc.	77.8	79.7	1.9	1.0	74	27.74	0.01	6.4	3.5	2308	
	195.0	211.5	16.5	8.2	150	0.49	0.01	3.4	0.7	325	
inc.	196.1	200.3	4.2	2.1	354	1.09	0.02	7.9	0.7	724	
inc.	196.1	196.9	0.8	0.4	1170	1.13	0.03	21.9	1.2	2042	
	221.2	232.3	11.1	5.6	236	0.76	0.03	3.7	1.7	473	
inc.	222.2	228.7	6.5	3.3	365	1.26	0.04	5.7	2.2	723	
inc.	222.2	224.2	2.0	1.0	808	2.26	0.01	12.4	3.0	1495	
	235.7	237.6	1.9	1.0	425	0.01	0.06	9.3	1.2	785	
inc.	236.5	236.8	0.3	0.2	2430	0.02	0.37	53.5	5.7	4469	
	248.0	252.1	4.1	2.1	200	0.03	0.01	3.4	0.5	338	
inc.	249.0	250.0	1.0	0.5	601	0.05	0.02	10.7	1.2	1015	
	255.4	262.6	7.2	3.6	584	0.16	0.06	10.4	1.4	1001	
inc.	255.4	259.9	4.5	2.2	903	0.23	0.08	16.1	2.2	1547	
	324.4	331.7	7.3	3.7	291	0.16	0.02	7.2	0.9	577	
inc.	327.4	331.7	4.3	2.2	454	0.24	0.04	11.2	1.2	897	

Cerro Las Minitas Property, Durango, Mexico 2011-2017 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET (continued)										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
15CLM-082	44.5	46.2	1.7	0.8	4	0.64	0.00	0.3	0.4	70
	184.3	194.4	10.1	4.8	88	1.39	0.05	1.6	2.1	320
	inc. 184.3	186.9	2.6	1.3	322	5.00	0.17	5.7	7.7	1148
15CLM-083	419.7	420.5	0.8	0.4	308	0.10	0.15	8.3	8.1	902
	431.8	437.8	6.0	3.2	124	0.05	0.04	1.8	0.5	211
	inc. 434.0	435.0	1.0	0.5	530	0.08	0.03	8.5	1.2	876
	444.2	445.9	1.7	0.9	224	0.11	0.28	2.3	1.2	385
	inc. 444.2	445.0	0.8	0.4	439	0.15	0.54	4.9	1.9	742
15CLM-083	481.6	490.1	8.6	4.6	195	0.18	0.37	0.7	2.5	360
	inc. 487.4	489.3	1.9	1.0	636	0.51	0.73	2.8	8.0	1127
11CLM-010 (extended in 2015)	503.5	509.3	5.8	3.5	130	0.38	1.12	1.3	9.3	646
	inc. 503.5	506.5	3.0	1.8	196	0.10	1.12	2.3	15.1	936
15CLM-080	HOLE LOST	Anomalous Au mineralization at end								
11CLM-001 (extended in 2016)	751.1	759.6	8.6	UNK	16	0.02	0.06	0.2	0.2	36
	inc. 758.6	759.6	1.0	UNK	80	0.02	0.11	0.8	0.9	153
	864.5	876.0	11.5	UNK	12	0.15	0.24	0.0	1.6	105
	inc. 865.7	867.0	1.3	UNK	41	1.18	1.05	0.0	7.7	506
	887.7	897.4	9.8	UNK	20	0.02	0.22	0.2	0.1	55
inc. 896.0	897.4	1.4	UNK	112	0.04	1.04	1.1	0.8	291	
16CLM-090	163.0	163.6	0.6	0.3	81	0.07	0.00	1.7	0.5	163
	300.1	303.8	3.7	2.4	6	0.02	0.14	0.0	0.9	53
	inc. 301.5	302.7	1.3	0.8	2	0.02	0.04	0.0	1.8	73
	314.5	317.5	3.0	1.9	7	0.02	0.15	0.0	0.0	25
inc. 316.7	317.8	1.1	0.7	24	0.05	0.67	0.0	0.1	101	
17CLM-092	130.7	131.2	0.5	0.3	33	0.13	0.00	0.4	1.3	102
	241.5	242.1	0.6	0.3	178	0.13	0.01	4.7	2.8	447
	370.2	371.7	1.6	0.8	36	0.36	0.92	0.0	1.2	201
17CLM-093	284.6	288.3	3.7	1.8	1	0.33	0.00	0.0	0.1	28
	585.0	586.3	1.3	0.7	75	0.01	0.01	0.5	1.4	142

SOUTH SKARN TARGET										
Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
12CLM-031	72.5	107.3	34.8	UNK	4	0.02	0.06	0.0	1.2	55
	inc. 104.9	107.3	2.4	UNK	16	0.03	0.22	0.0	9.8	390
11CLM-033	NSV									
12CLM-040	18.6	19.0	0.4	UNK	321	0.72	0.01	5.6	6.2	780
	200.5	201.0	0.5	UNK	92	0.11	0.01	3.0	0.6	225
	255.7	266.7	11.0	UNK	13	0.01	0.19	0.1	1.0	70
12CLM-055	180.6	200.7	20.1	12.5	13	0.77	0.01	0.3	0.2	82
	inc. 193.7	198.0	4.3	2.7	28	2.78	0.02	0.5	0.3	246
	224.1	228.4	4.3	2.7	89	1.43	1.81	0.1	0.2	388
	256.4	258.6	2.2	1.7	55	0.02	0.03	1.1	1.3	144
13CLM-063	228.6	230.2	1.6	1.1	160	1.03	0.09	3.3	0.4	364
13CLM-067	194.1	195.6	1.5	1.0	3	0.15	0.01	1.9	0.3	89
13CLM-068	285.4	299.3	13.9	8.4	136	0.24	0.03	2.4	1.3	285
	inc. 285.4	287.8	2.4	1.5	546	0.18	0.15	10.3	3.8	1062
	307.0	307.9	0.9	0.5	1140	0.42	0.10	18.1	21.0	2543
13CLM-069	380.5	382.7	2.2	1.2	225	0.72	0.17	3.5	0.5	429
13CLM-073	433.5	433.9	0.4	0.2	21	0.22	0.75	0.0	3.4	236
	449.6	454.2	4.6	2.5	15	0.06	0.43	0.0	0.0	66
14CLM-074	160.5	165.2	4.8	2.2	16	0.33	0.01	0.7	1.5	113
	inc. 163.9	165.2	1.3	0.6	46	1.12	0.02	1.8	4.9	357
	inc. 418.7	423.2	4.8	2.2	24	0.13	0.51	0.0	0.1	89
14CLM-075	850.8	852.5	1.7	UNK	129	0.06	0.04	0.2	0.0	146
15CLM-079	138.3	140.3	2.0	1.3	64	0.37	0.02	5.4	2.9	379
	inc. 393.0	399.0	6.0	3.9	23	2.49	0.00	0.2	0.1	201
	395.0	396.0	1.0	0.7	41	11.70	0.01	0.1	0.0	842
	461.9	468.5	6.6	4.3	135	0.02	0.03	1.6	0.4	209
	inc. 461.9	463.7	1.8	1.2	300	0.04	0.03	2.0	0.5	391
and inc. 467.3	468.5	1.2	0.7	227	0.02	0.10	4.8	1.4	453	

Cerro Las Minitas Property, Durango, Mexico
2011-2017 Composite Summary Spreadsheet Divided by Zone

NORTH SKARN TARGET										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
11CLM-003	18.9	19.9	1.0	UNK	86	0.27	1.73	0.0	0.0	289
	262.8	263.3	0.4	UNK	164	0.04	1.16	3.3	6.8	642
	283.5	283.9	0.4	UNK	382	0.12	0.07	6.3	1.6	669
	419.6	436.2	16.6	UNK	55	0.02	0.80	0.3	1.5	204
	inc. and inc.	428.8 432.0	430.3 433.6	1.5 1.6	UNK UNK	72 62	0.02 0.02	1.45 1.25	0.5 0.4	1.6 1.5
11CLM-004	155.6	156.0	0.4	UNK	152	0.17	0.00	0.5	0.0	180
11CLM-005	NSV									
11CLM-020	197.8	198.4	0.7	UNK	120	0.02	0.02	5.4	1.9	376
12CLM-050	123.9	125.0	1.1	UNK	69	0.01	0.19	2.7	2.5	270
12CLM-058	102.3	103.6	1.3	UNK	466	0.43	0.17	0.3	0.0	525
15CLM-084	103.5	104.5	1.0	UNK	153	0.03	0.61	6.2	6.7	669
15CLM-086	103.2	103.6	0.4	UNK	108	0.01	0.04	6.7	1.6	401
	201.3	203.4	2.1	UNK	79	0.04	0.03	2.2	1.7	221
	inc.	202.9	203.4	0.4	UNK	307	0.16	0.08	8.8	5.6

NORTH IP TARGET										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
11CLM-009	Lost									
12CLM-039	NSV									
12CLM-052	NSV									
15CLM-085	NSV									

OTHER TARGETS										
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
11CLM-001	296.2	297.4	1.2	UNK	99	0.01	0.14	0.0	0.0	117
11CLM-007	178.2	178.8	0.6	UNK	71	0.12	0.00	0.9	0.1	124
13CLM-064	NSV									
13CLM-065	NSV									
13CLM-070	NSV									
17CLM-102	NSV									
17CLM-104	NSV									