

Cerro Las Minitas Property, Durango, Mexico 2011-2018 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-008	74.5	75.1	0.6	0.3	166	0.02	0.31	5.9	7.9	811	20.3
	168.4	179.3	10.9	5.0	268	0.09	0.03	4.5	3.8	639	16.9
	inc. 168.4	171.7	3.3	1.5	818	0.20	0.10	12.9	10.9	1879	49.8
inc.	169.6	171.4	1.8	0.9	1400	0.34	0.04	19.7	14.5	2910	78.1
11CLM-011	63.1	71.9	8.8	6.4	67	0.10	0.10	2.0	2.2	266	6.8
	inc. 65.8	68.4	2.6	1.9	179	0.06	0.35	5.6	6.6	759	19.2
	131.6	136.6	5.0	3.6	224	0.35	0.04	4.2	5.8	682	17.4
inc.	132.8	135.6	2.8	2.0	380	0.40	0.10	5.8	10.2	1116	28.4
11CLM-012	90.6	93.8	3.2	2.2	110	0.36	0.02	0.6	0.1	148	4.2
	109.2	113.6	4.4	3.0	141	0.10	0.50	5.0	7.1	736	18.4
	inc. 109.2	111.4	2.2	1.5	259	0.13	0.88	9.1	11.8	1287	32.3
11CLM-013	121.8	125.7	3.9	2.7	54	0.10	0.00	1.8	1.4	196	5.1
	inc. 121.8	122.5	0.7	0.5	218	0.07	0.12	6.7	5.1	748	19.4
11CLM-014	330.9	333.8	2.9	2.1	111	0.30	0.00	0.9	0.8	192	5.2
	inc. 333.1	333.8	0.6	0.4	414	0.83	0.00	2.1	2.3	628	17.3
	363.9	369.2	5.3	3.8	54	0.00	0.20	1.5	2.8	269	6.6
inc.	366.8	369.2	2.4	1.7	100	0.07	0.48	2.5	5.2	499	12.4
11CLM-015	32.3	33.1	0.9	0.7	247	0.02	0.25	6.5	3.1	690	18.4
	51.6	52.3	0.7	1	116	0.04	0.31	4.3	2.7	455	11.8
11CLM-016	152.4	164.1	11.7	6.5	114	0.02	0.19	3.3	4.9	499	12.5
	inc. 155.3	159.8	4.5	2.5	193	0.03	0.26	5.8	8.4	851	21.3
	inc. 158.2	159.8	1.6	0.9	390	0.07	0.52	11.9	17.1	1739	43.4
	168.9	169.8	0.9	0.5	142	0.00	0.20	5.3	4.3	585	15.0
	171.4	181.1	9.7	5.8	56	0.00	0.10	1.9	2.1	244	6.2
inc.	176.4	181.1	4.7	2.8	92	0.00	0.20	3.3	3.1	396	10.1
11CLM-017	99.6	101.2	1.6	1.0	217	0.10	0.08	2.8	1.3	405	11.1
	104.4	105.1	0.7	0	67	0.01	0.10	1.4	6.5	441	10.4
11CLM-018	159.5	160.4	0.9	0.6	330	0.14	0.06	3.9	0.2	508	14.4
	187.3	191.7	4.4	3.0	93	0.03	0.05	1.8	1.9	264	6.8
	inc. 188.9	191.7	2.8	1.9	135	0.02	0.06	2.5	2.6	368	9.6
	inc. 191.3	191.7	0.4	0.3	757	0.09	0.17	11.9	15.2	1979	51.3
	209.2	211.7	2.5	1.7	209	0.02	0.48	6.7	6.5	846	21.6
11CLM-019	229.9	231.2	1.3	0.7	126	0.17	0.07	3.1	3.6	433	11.0
	inc. 230.9	231.2	0.3	0.2	359	0.53	0.22	8.1	9.3	1164	29.8
11CLM-021	66.1	66.6	0.5	0.2	920	0.23	0.10	18.4	11.1	2221	59.2
11CLM-022	209.3	210.3	0.9	0.8	611	0.13	0.66	18.5	13.1	2065	53.7
	232.2	233.7	1.4	1.3	528	0.11	0.02	10.5	1.3	1029	28.7
11CLM-023	251.5	252.7	1.2	0.8	52	0.02	0.22	0.3	4.8	315	7.4
	267.8	278.5	10.8	7.4	70	0.01	0.08	1.6	2.2	248	6.3
	inc. 270.7	272.1	1.4	1.0	217	0.02	0.23	6.2	8.7	909	22.8
	293.8	320.5	26.7	18.4	69	0.06	0.11	1.9	2.3	272	6.9
	inc. 300.1	311.6	11.5	7.9	140	0.06	0.20	4.2	4.9	563	14.3
inc.	308.7	311.6	2.9	2.0	280	0.02	0.25	9.5	10.3	1181	29.9
11CLM-024	119.1	124.7	5.7	3.2	71	0.16	0.11	1.8	1.5	230	6.0
	inc. 119.1	120.0	0.9	0.5	92	0.16	0.19	2.7	2.9	361	9.2
11CLM-025	NSV										
11CLM-026	69.0	72.0	3.0	2.1	165	0.00	0.10	5.5	4.5	617	15.9
	102.5	103.4	1.0	0.7	240	0.01	0.88	6.6	8.3	995	25.3
	116.3	117.8	1.5	1.1	127	0.01	0.17	4.2	4.9	551	13.9
	131.7	132.7	1.0	0.7	65	0.00	0.05	2.6	2.7	302	7.6
	141.5	142.4	0.9	0.6	75	0.00	0.04	2.8	3.0	334	8.4
11CLM-027	220.2	223.6	3.4	1.3	146	0.01	0.11	6.4	3.5	585	15.2
	433.8	435.6	1.8	0.7	161	0.01	0.31	2.1	4.0	470	12.0
11CLM-028	50.5	55.4	4.9	3.7	88	0.03	0.06	2.0	0.9	218	5.9
	89.3	90.3	1.1	0.8	87	0.06	0.04	3.4	2.8	366	9.3
	113.6	114.6	1.1	0.8	79	0.01	0.09	2.6	3.4	356	8.9
	115.6	116.8	1.3	0.9	146	0.01	0.14	4.7	7.8	720	17.8
12CLM-030	284.8	287.0	2.1	1.2	76	0.01	0.15	2.8	3.4	365	9.1
	inc. 286.0	287.0	0.9	0.5	119	0.01	0.19	4.5	5.8	599	14.9
	329.9	330.9	1.0	0.6	250	0.00	0.26	10.7	16.9	1514	37.1
11CLM-032	344.3	349.5	5.2	2.8	95	0.09	0.02	1.6	2.3	274	7.0
	inc. 347.5	349.5	2.1	1.1	138	0.04	0.04	2.2	3.4	394	10.1
	378.4	382.1	3.7	2.0	159	1.47	0.07	4.1	4.5	582	14.8
	inc. 378.4	380.7	2.3	1.3	204	2.03	0.05	5.0	5.1	699	17.9
	443.8	445.9	2.1	1.1	76	0.02	0.51	1.3	1.3	246	6.5

Cerro Las Minitas Property, Durango, Mexico 2011-2018 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
12CLM-034	63.0	115.5	52.5	26.8	16	0.01	0.04	0.5	0.6	68	1.7	
inc	79.5	81.2	1.7	0.8	119	0.02	0.15	3.3	3.9	456	11.6	
and inc.	106.4	108.4	2.1	1.0	70	0.01	0.23	3.1	5.1	462	11.3	
and inc.	114.0	115.5	1.5	0.8	46	0.02	0.34	4.5	2.6	393	10.0	
	170.7	172.2	1.5	0.7	338	0.02	0.48	11.1	15.9	1590	39.6	
	202.2	204.7	2.5	1.1	98	0.14	0.05	3.1	1.8	317	8.3	
	233.0	235.4	2.4	1.1	147	0.03	0.19	4.4	6.9	672	16.7	
12CLM-041	101.6	103.9	2.3	1.6	44	0.01	0.02	1.2	0.8	136	3.6	
	117.4	117.9	0.6	0.4	276	0.03	0.04	5.3	0.1	509	14.4	
	138.5	143.1	4.6	3.1	203	0.03	0.26	4.9	4.2	636	16.5	
inc	141.9	143.1	1.2	0.8	499	0.09	0.43	10.4	10.4	1462	37.9	
12CLM-042	190.1	191.7	1.6	1.0	72	0.14	0.05	0.6	0.2	114	3.2	
12CLM-043	159.1	159.6	0.5	0.4	93	0.00	0.00	1.3	0.1	152	4.3	
	177.8	182.0	4.2	3.2	145	0.02	0.36	2.7	2.0	393	10.4	
inc.	177.8	178.2	0.4	0.3	119	0.02	0.03	2.6	0.1	234	6.6	
and	180.6	182.0	1.3	1.0	398	0.04	1.11	7.3	6.2	1112	29.3	
12CLM-045	194.1	194.9	0.8	0.6	421	0.04	0.25	15.2	6.8	1402	37.0	
	216.5	218.1	1.6	1.1	36	0.01	0.04	1.2	1.1	145	3.7	
	229.5	230.1	0.6	0.4	103	0.00	0.04	3.7	3.6	430	10.9	
12CLM-047	162.6	167.0	4.4	3.0	186	0.02	0.16	5.6	4.6	650	16.8	
inc.	162.6	165.5	2.9	1.9	254	0.02	0.18	7.8	4.9	828	21.7	
	186.8	189.6	2.8	1.8	71	0.01	0.11	2.0	2.9	302	7.6	
inc.	189.0	189.6	0.6	0.4	202	0.01	0.28	5.5	8.1	837	21.0	
12CLM-049	108.4	111.1	2.7	2.3	87	0.37	0.19	5.4	5.3	587	14.6	
	116.7	117.2	0.5	0.4	1040	0.10	0.01	16.7	2.9	1877	52.3	
	168.8	172.2	3.4	2.9	97	0.02	0.20	2.5	2.1	322	8.4	
inc.	168.8	170.2	1.4	1.2	93	0.02	0.26	2.3	3.0	356	9.0	
12CLM-051	8.3	9.2	0.9	0.7	292	0.03	0.68	5.7	4.0	787	20.9	
	50.9	70.9	20.0	14.7	143	0.04	0.02	2.4	0.6	277	7.6	
inc.	60.7	66.9	6.2	4.6	238	0.05	0.01	3.2	0.1	383	10.9	
inc.	63.0	63.9	0.9	0.7	833	0.14	0.02	8.8	0.1	1212	34.7	
12CLM-053	35.8	38.0	2.2	1.6	87	0.02	0.29	2.4	0.4	236	6.5	
	71.8	72.1	0.3	0.2	41	0.01	0.11	4.5	3.3	396	9.9	
12CLM-054	169.0	170.7	1.7	1.2	230	0.01	0.23	6.2	9.3	949	23.7	
12CLM-056	12.7	18.4	5.7	4.0	335	0.10	0.80	16.3	4.5	1315	35.0	
inc.	13.6	17.8	4.2	2.9	409	0.12	1.02	20.5	4.0	1566	42.1	
12CLM-057	350.2	350.6	0.4	0.3	127	0.02	0.00	4.3	4.2	502	12.8	
12CLM-059	12.0	31.1	19.1	15.5	30	0.02	0.01	0.6	0.2	66	1.8	
inc.	12.0	12.9	0.9	0.7	72	0.03	0.04	2.1	1.7	243	6.3	
and inc.	29.8	31.1	1.3	1.0	65	0.01	0.01	1.6	0.2	144	4.0	
	41.2	57.0	15.8	12.8	26	0.01	0.03	0.5	0.6	79	2.0	
inc.	53.7	57.0	3.3	2.7	53	0.02	0.15	1.9	2.1	244	6.2	
inc.	53.7	55.2	1.6	1.3	68	0.00	0.03	0.9	1.9	196	5.0	
and inc.	55.2	57.0	1.8	1.4	39	0.03	0.25	2.8	2.2	286	7.2	
12CLM-060	39.0	52.7	13.7	10.3	34	0.13	0.01	0.5	0.3	73	1.9	
inc.	47.5	49.4	1.9	1.4	130	0.13	0.03	2.4	0.5	262	7.2	
12CLM-061	86.3	96.8	10.6	8.6	114	0.01	0.03	2.8	0.9	277	7.5	
inc.	86.3	87.5	1.3	1.0	382	0.02	0.18	9.9	5.1	1055	28.0	
and inc.	94.0	96.8	2.8	2.3	201	0.03	0.02	4.6	0.4	411	11.5	
inc.	94.0	94.5	0.5	0.4	537	0.10	0.11	9.7	0.5	981	27.6	
and inc.	96.0	96.8	0.8	0.7	247	0.02	0.00	6.7	0.6	555	15.4	
12CLM-062	238.0	238.8	0.9	0.7	125	0.02	0.11	4.2	3.8	489	12.5	
inc.	238.0	238.4	0.4	0.3	211	0.01	0.21	7.2	7.9	904	22.8	
	263.4	269.5	6.1	5.2	62	0.04	0.03	1.6	0.1	137	3.8	
inc.	263.4	265.5	2.1	1.8	82	0.03	0.05	2.0	0.0	174	4.9	
and inc.	267.6	269.5	1.9	1.7	61	0.04	0.03	2.0	0.2	156	4.3	
	280.0	282.6	2.6	2.2	160	0.01	0.47	3.7	2.9	497	13.0	
	291.6	292.1	0.5	0.4	177	0.01	0.60	5.5	9.0	892	22.1	
13CLM-066	62.8	63.8	1.1	0.4	4	8.60	0.00	0.1	0.1	192	4.6	
	88.4	97.5	9.2	3.1	401	0.10	0.13	8.5	5.1	1006	26.8	
inc.	92.9	97.5	4.6	1.6	727	0.20	0.09	13.5	7.0	1632	43.9	
inc.	92.9	95.0	2.1	0.7	1190	0.20	0.04	21.6	13.0	2704	72.4	
	138.0	151.1	13.1	4.4	53	0.10	0.15	2.9	1.4	257	6.7	
inc.	149.0	151.1	2.1	0.7	68	0.60	0.31	5.6	2.5	463	11.9	
	165.8	176.8	11.0	3.7	53	0.10	0.14	3.9	3.5	394	9.8	
13CLM-071	418.9	421.6	2.7	1.0	73	0.03	0.09	1.8	2.8	290	7.3	
13CLM-072	102.5	102.8	0.3	0.2	87	0.03	0.11	1.9	1.0	225	6.0	

Cerro Las Minitas Property, Durango, Mexico 2011-2018 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
15CLM-076	456.0	458.2	2.2	1.6	56	0.08	0.02	1.4	1.8	200	5.1	
inc.	457.0	458.2	1.2	0.9	90	0.04	0.02	2.2	3.0	322	8.1	
15CLM-077	712.6	715.1	2.4	1.3	391	0.04	0.04	2.6	0.8	541	15.4	
inc.	712.6	713.3	0.6	0.3	1380	0.14	0.03	7.9	2.4	1828	52.1	
15CLM-023A	266.2	274.7	8.5	5.8	65	0.01	0.05	1.3	2.5	240	6.0	
inc.	266.2	268.5	2.3	1.6	102	0.01	0.13	3.1	4.7	467	11.6	
	284.7	299.5	14.8	10.1	231	0.27	0.19	4.5	3.7	617	16.2	
inc.	284.7	286.0	1.3	0.9	891	0.64	0.10	11.3	5.7	1652	45.2	
and inc.	288.1	295.4	7.3	5.0	237	0.23	0.30	5.4	4.7	715	18.6	
15CLM-081	575.3	582.9	7.6	4.0	43	1.09	0.34	0.5	2.8	255	6.2	
inc.	581.6	582.9	1.3	0.7	73	0.04	1.07	0.1	10.2	665	15.5	
	607.4	608.1	0.7	0.4	4	0.03	0.02	0.2	4.9	246	5.4	
15CLM-084	791.0	791.9	0.9	0.6	312	0.37	0.00	1.5	0.0	382	11.0	
	800.2	815.9	15.7	9.4	90	0.22	0.01	0.4	0.3	126	3.5	
inc.	800.2	801.0	0.9	0.5	189	0.19	0.10	1.4	3.2	413	10.8	
	825.6	826.2	0.6	0.4	193	0.02	0.09	4.3	5.6	644	16.4	
17CLM-095	575.5	579.3	3.8	2.9	27	0.02	0.02	0.5	3.0	191	4.5	
inc.	575.5	576.1	0.6	0.5	115	0.01	0.01	3.0	7.4	583	14.1	
17CLM-099	730.2	732.2	2.0	1.5	72	0.01	0.02	2.1	0.5	186	5.1	
inc.	731.2	732.2	1.0	0.8	112	0.02	0.02	3.3	0.1	257	7.2	
18CLM-116	499.1	501.0	1.9	1.7	94	0.29	0.03	0.9	1.2	197	5.2	

LAS VICTORIAS ZONE												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
17CLM-101	229.9	247.4	17.6	12.5	154	1.98	0.21	3.2	3.9	532	13.6	
inc.	229.9	232.9	3.0	2.1	269	0.86	0.78	4.7	5.6	827	21.4	
and inc.	235.4	241.0	5.7	4.0	261	3.98	0.16	6.0	6.9	934	23.8	
17CLM-105	356.9	367.8	10.9	6.8	194	0.79	0.12	4.4	2.0	498	13.3	
inc.	356.9	360.1	3.3	2.0	551	0.85	0.23	11.9	4.7	1310	35.4	
inc.	358.2	359.1	0.9	0.6	1100	1.50	0.36	23.2	5.9	2413	66.1	
18CLM-107	100.9	102.1	1.1	0.7	55	0.67	0.03	1.9	0.3	166	4.5	
18CLM-109	250.9	253.6	2.7	2.0	88	0.27	0.19	1.1	2.6	282	7.1	
18CLM-117	461.65	463.9	2.3	1.2	202	1.55	0.01	3.8	1.8	476	12.8	
inc.	462.7	463.9	1.2	0.7	333	2.66	0.02	6.6	3.2	812	21.7	

SKARN FRONT ZONE												
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-006	410.5	411.3	0.7	0.6	162	0.02	0.38	2.1	10.4	878	17.3	
	424.2	427.9	3.7	3.0	184	0.03	1.95	0.3	18.4	1452	28.2	
inc.	424.8	427.9	3.1	2.5	212	0.03	2.24	0.4	20.7	1641	31.9	
15CLM-023A	625.9	627.5	1.6	0.9	100	0.00	0.01	5.2	5.9	655	13.4	
inc.	625.9	626.7	0.9	0.5	137	0.01	0.02	7.5	8.5	943	19.2	
	637.0	638.8	1.9	1.0	85	0.03	0.12	0.9	3.8	351	7.1	
inc.	637.0	637.9	1.0	0.5	104	0.05	0.18	1.5	6.6	555	11.0	
	648.5	649.7	1.2	0.6	39	0.01	0.06	0.2	3.1	229	4.4	
	677.0	685.4	8.4	4.6	143	0.06	0.26	1.2	6.2	574	11.6	
inc.	681.9	685.4	3.5	1.9	263	0.13	0.27	2.4	12.2	1086	21.7	
inc.	681.9	682.7	0.8	0.4	320	0.05	0.50	1.4	29.6	2094	40.0	
11CLM-025 (extended in 2015)	485.6	505.4	19.9	16.4	113	0.54	0.37	0.9	3.6	406	8.4	
inc.	488.9	499.7	10.8	8.9	182	0.97	0.51	1.6	6.4	683	14.0	
and inc.	493.6	496.0	2.4	2.0	534	0.12	1.77	4.6	14.2	1732	36.2	
	516.3	522.0	5.8	4.7	79	0.07	0.37	0.2	0.3	149	3.4	
	602.3	605.1	2.8	2.3	185	0.40	0.13	1.1	0.1	259	6.1	
inc.	603.4	605.1	1.7	1.4	238	0.57	0.16	1.1	0.1	315	7.5	
13CLM-066	534.6	585.2	50.6	29.5	41	0.01	0.01	0.7	5.3	372	7.0	
inc.	546.0	561.0	15.0	8.7	67	0.01	0.01	0.5	6.0	423	8.1	
and inc.	573.0	585.2	12.2	7.1	45	0.01	0.02	1.7	10.8	728	13.6	
	633.3	642.6	9.3	5.4	9	0.00	0.13	0.1	13.0	758	13.7	
inc.	638.2	640.4	2.1	1.3	14	0.01	0.41	0.0	20.6	1214	22.0	
13CLM-071	683.4	687.5	4.1	3.2	44	0.01	0.00	0.6	4.7	336	6.4	
inc.	683.4	685.4	2.0	1.6	82	0.01	0.00	1.1	8.2	587	11.2	

Cerro Las Minitas Property, Durango, Mexico
2011-2018 Composite Summary Spreadsheet Divided by Zone

SKARN FRONT ZONE (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
15CLM-081	616.1	632.9	16.8	10.0	136	0.02	0.52	0.3	4.5	458	9.4	
inc.	616.1	620.2	4.1	2.4	160	0.03	0.60	0.4	12.0	917	17.8	
	645.2	654.3	9.1	5.4	24	0.02	0.27	0.0	3.9	272	5.2	
inc.	650.8	654.3	3.5	2.0	36	0.05	0.52	0.0	8.8	588	11.0	
	710.2	712.3	2.1	1.2	32	0.01	0.45	1.5	2.3	274	5.6	
	717.6	720.0	2.4	1.4	66	0.01	0.84	0.1	0.2	172	3.9	
16CLM-087	723.3	732.8	9.6	7.6	20	0.02	0.27	0.1	1.0	109	2.2	
inc.	723.3	724.5	1.3	1.0	50	0.06	0.05	0.3	2.2	189	3.8	
and inc.	728.6	729.4	0.8	0.6	96	0.04	2.82	0.5	4.9	707	14.8	
	809.5	811.6	2.1	1.7	23	0.02	0.42	0.0	0.1	76	1.7	
inc.	810.4	811.6	1.3	1.0	38	0.03	0.68	0.0	0.1	120	2.7	
16CLM-088	134.1	135.0	1.0	0.5	26	0.03	0.01	0.8	0.3	78	1.7	
	683.7	714.0	30.4	16.2	107	0.07	0.40	1.1	2.3	332	7.1	
inc.	683.7	691.0	7.3	3.9	190	0.13	0.37	3.4	5.5	693	14.5	
and inc.	702.3	714.0	11.8	6.3	100	0.04	0.48	0.6	1.9	289	6.2	
inc.	712.7	714.0	1.3	0.7	178	0.01	0.86	2.0	3.3	544	11.7	
16CLM-089	917.9	943.9	26.0	20.5	1	0.32	0.01	0.0	0.0	9	0.2	
	981.5	1052.0	70.5	55.5	13	0.02	0.23	0.1	0.1	48	1.1	
inc.	1014.7	1024.0	9.4	7.4	30	0.06	0.69	0.1	0.2	124	2.8	
and inc.	1022.4	1024.0	1.6	1.3	63	0.07	1.89	0.1	0.3	297	6.7	
16CLM-091	549.0	551.6	2.6	2.2	12	0.03	0.04	0.2	0.5	50	1.0	
	646.2	658.4	12.2	10.5	21	0.21	0.01	0.0	0.0	28	0.6	
	662.8	677.9	15.1	13.1	39	0.01	0.05	0.1	10.2	622	11.4	
inc	667.5	672.3	4.8	4.2	39	0.02	0.12	0.1	23.2	1355	24.5	
17CLM-094	788.8	798.6	9.8	7.2	65	0.01	0.02	0.3	5.0	357	6.9	
inc.	794.2	798.6	4.4	3.2	92	0.01	0.02	0.4	7.1	511	9.8	
17CLM-095	691.3	700.3	9.0	6.0	602	0.05	0.05	7.1	17.9	1919	39.6	
inc.	693.0	700.3	7.3	4.9	737	0.05	0.06	8.6	21.8	2341	48.3	
17CLM-096	969.8	978.5	8.7	5.7	23	0.01	0.29	0.1	0.8	106	2.2	
inc.	969.8	971.1	1.3	0.8	58	0.01	0.16	0.4	3.4	285	5.6	
17CLM-097	1080.6	1082.6	2.0	1.2	131	0.05	0.02	0.3	4.5	402	8.1	
inc.	1080.6	1082.1	1.5	0.9	158	0.07	0.02	0.3	5.0	453	9.2	
17CLM-098	1086.0	1139.8	53.8	33.4	105	0.02	0.95	0.3	0.4	246	5.6	
inc.	1086.5	1101.0	14.5	9.0	288	0.05	2.03	0.8	1.2	618	14.1	
inc.	1092.6	1096.7	4.1	2.5	686	0.08	3.65	1.0	1.7	1236	28.6	
17CLM-100	723.1	724.7	1.6	0.8	4	0.00	0.01	0.0	2.4	140	2.5	
	727.7	729.0	1.3	0.6	2	0.00	0.01	0.0	2.5	144	2.6	
17CLM-101	452.5	462.6	10.1	8.8	220	0.04	0.35	3.6	5.4	719	15.1	
inc.	456.9	459.2	2.3	2.0	373	0.06	0.88	7.4	10.3	1371	28.8	
17CLM-103	859.3	864.4	5.2	4.0	27	0.01	0.01	0.4	2.6	190	3.7	
inc.	859.3	860.2	1.0	0.7	126	0.03	0.00	1.7	8.2	664	13.0	
17CLM-105	507.6	520.9	13.3	11.3	105	0.05	0.15	0.5	0.4	163	3.8	
inc.	510.6	513.2	2.5	2.2	318	0.11	0.41	1.4	0.8	470	11.0	
	525.9	534.7	8.9	7.5	69	0.07	0.26	0.3	1.1	176	3.8	
inc.	529.8	530.5	0.8	0.6	195	0.04	1.10	0.8	4.4	603	12.8	
	557.9	558.5	0.6	0.5	56	0.18	2.53	0.0	0.0	346	7.8	
17CLM-106	889.3	891.7	2.5	1.9	88	0.03	0.04	0.2	10.3	678	12.7	
	921.3	930.4	9.1	7.1	22	0.00	0.00	0.0	3.6	228	4.2	
inc.	926.2	930.4	4.2	3.3	30	0.01	0.00	0.1	5.8	357	6.6	
	941.6	943.4	1.8	1.4	30	0.10	0.11	0.0	20.7	1205	21.8	
18CLM-107	353.8	354.6	0.9	0.6	79	0.37	1.22	0.1	14.1	1013	19.2	
18CLM-108	434.5	435.2	0.7	0.5	98	0.21	0.02	3.7	0.9	313	7.0	
	444.7	446.4	1.7	1.2	56	0.04	0.01	2.4	0.5	191	4.3	
	461.3	462.2	0.9	0.6	143	0.03	0.19	1.0	0.4	228	5.3	
18CLM-110	450.0	468.9	18.9	15.1	260	0.05	0.18	0.9	0.1	326	7.8	
inc.	450.0	462.3	12.3	9.8	377	0.05	0.24	1.2	0.1	463	11.1	
inc.	450.0	455.5	5.5	4.4	598	0.07	0.40	2.1	0.1	740	17.8	
18CLM-111	468.3	469.6	1.3	0.9	39	0.01	0.03	2.1	3.5	330	6.6	
18CLM-112	387.5	390.9	3.4	2.8	191	0.04	0.86	3.7	9.4	980	19.9	
inc.	387.5	388.7	1.1	1.0	260	0.03	0.81	5.6	16.4	1511	30.2	
	415.6	418.3	2.8	2.3	80	0.01	0.44	0.6	0.9	206	4.5	
inc.	415.6	416.8	1.3	1.0	113	0.02	0.63	0.9	1.3	291	6.4	
18CLM-113	564.8	565.6	0.8	0.6	214	0.01	0.03	7.2	2.8	685	15.1	
	614.7	616.1	1.4	1.0	49	0.00	0.00	2.0	2.7	284	5.8	
	643.5	645.9	2.4	1.7	139	0.03	0.39	0.4	4.1	429	8.8	
18CLM-114	639.0	639.9	0.9	0.7	64	0.03	0.18	0.8	8.5	593	11.3	
	654.0	654.7	0.8	0.5	35	0.00	0.03	1.2	1.9	198	4.0	

Cerro Las Minitas Property, Durango, Mexico 2011-2018 Composite Summary Spreadsheet Divided by Zone

SKARN FRONT ZONE (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
18CLM-115	649.6	652.3	2.6	2.0		409	0.59	0.92	0.8	8.4	1027	21.7
inc.	649.6	650.2	0.6	0.5		477	2.23	3.67	0.6	32.3	2762	54.5
	664.2	674.1	10.0	7.5		55	0.40	0.32	0.1	1.0	154	3.3
inc.	671.2	672.6	1.5	1.1		140	0.03	1.07	0.1	5.3	561	11.5
	683.2	684.2	1.0	0.8		640	0.05	1.03	16.7	22.4	2735	56.8
18CLM-116	528.3	529.3	1.0	0.9		195	0.04	0.11	1.6	8.7	761	15.2
	541.2	542.6	1.4	1.2		19	0.00	0.03	0.2	3.2	207	3.9
18CLM-117	590.7	593.5	2.8	2.4		71	0.13	0.19	0.1	3.3	284	5.7

*Estimated true thickness calculated based on the May 2019 43-101 resource estimate

EL SOL ZONE												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-006	55.8	56.2	0.4	0.2		84	0.02	0.05	2.5	3.3	347	8.7
	73.8	75.4	1.7	0.9		68	0.02	0.14	1.5	1.6	216	5.6
	215.5	223.3	7.8	4.2		221	0.14	0.08	6.2	2.1	589	15.8
inc.	221.5	223.3	1.8	1.0		650	0.40	0.12	16.0	0.8	1378	38.4
11CLM-011	306.3	319.8	13.6	10.6		38	0.10	0.10	1.6	1.9	206	5.2
inc.	306.3	306.7	0.4	0.3		178	0.10	0.50	6.8	4.8	741	19.2
inc.	316.7	319.2	2.4	1.9		75	0.04	0.10	3.6	4.2	434	10.8
11CLM-012	234.9	236.1	1.2	0.9		132	0.04	0.11	0.3	5.6	418	10.2
	248.4	248.8	0.4	0.3		50	0.03	0.05	2.2	4.6	362	8.7
11CLM-015	147.4	148.7	1.3			165	0.00	0.18	6.2	2.4	553	14.7
inc.	147.4	148.1	0.7			276	0.00	0.33	10.6	3.0	893	23.9
11CLM-027	0.6	25.4	24.8	9.3		124	0.03	0.09	1.9	2.1	309	8.1
inc.	9.0	11.8	2.8	1.1		404	0.00	0.02	1.4	2.5	580	16.0
and inc.	20.9	22.4	1.5	0.6		125	0.00	0.08	2.6	4.0	426	10.8
	34.8	36.1	1.4	0.5		26	0.00	0.04	0.8	1.7	145	3.5
	48.1	50.8	2.7	1.0		45	0.02	0.07	4.2	5.3	477	11.6
inc.	49.7	50.8	1.1	0.4		88	0.02	0.12	7.9	8.6	831	20.4
11CLM-029	96.6	99.3	2.7	1.9		52	0.01	0.04	2.4	0.8	196	5.2
12CLM-036	NSV											
12CLM-038	24.0	41.7	17.7	8.9		20	0.00	0.04	0.4	0.7	73	1.8
inc.	36.0	38.7	2.7	1.4		83	0.01	0.18	2.0	2.6	304	7.7
inc.	38.0	38.7	0.7	0.4		167	0.02	0.50	6.2	3.6	649	17.0
	59.5	74.5	15.0	7.5		29	0.01	0.03	0.3	1.1	94	2.3
inc.	70.8	72.5	1.8	0.9		98	0.04	0.16	1.3	4.5	378	9.3
12CLM-044	57.6	83.6	26.1	17.3		67	0.03	0.10	2.8	3.3	349	8.7
inc.	61.1	63.2	2.1	1.4		130	0.02	0.18	5.8	6.3	682	17.1
and inc.	71.0	72.8	1.8	1.2		163	0.03	0.44	6.9	8.8	905	22.5
and inc.	78.3	80.7	2.5	1.6		153	0.06	0.10	6.3	7.5	777	19.4
	96.0	97.1	1.1	0.7		265	0.06	0.24	12.4	12.9	1408	35.3
12CLM-046	104.2	105.3	1.1	0.6		179	0.02	0.12	9.4	8.1	964	24.3
	145.1	151.5	6.4	3.8		75	0.02	0.26	2.7	3.7	392	9.8
inc.	147.7	150.1	2.4	1.4		98	0.02	0.17	3.7	7.9	638	15.4
	195.5	201.4	5.9	3.5		133	0.02	0.84	1.3	0.5	301	8.3
inc.	195.5	196.3	0.8	0.4		745	0.09	5.10	0.8	0.4	1344	37.9
	208.2	211.5	3.3	2.0		74	0.01	0.13	4.0	1.2	307	8.1
12CLM-048	24.1	24.8	0.7	0.4		60	0.02	0.22	2.0	2.1	265	6.7
13CLM-071	505.5	508.5	3.0	1.0		56	0.02	0.20	1.3	4.1	321	7.7
	591.0	595.5	4.5	1.5		115	0.01	0.02	2.7	4.2	428	10.7
inc.	594.0	595.5	1.5	0.5		238	0.02	0.06	5.7	9.1	904	22.6
15CLM-023A	406.5	407.5	1.0	0.7		55	0.18	0.02	2.9	2.3	290	7.3
	431.8	432.7	0.9	0.6		39	0.01	0.00	1.3	1.2	153	3.9
15CLM-076	541.1	542.1	1.0	0.7		51	0.00	0.13	1.2	4.1	308	7.4
15CLM-077	269.2	273.8	4.6	2.5		47	0.01	0.03	1.2	0.7	132	3.5
inc.	270.9	272.1	1.2	0.6		137	0.02	0.03	3.6	1.0	336	9.1
	337.0	339.5	2.5	1.3		179	0.08	0.23	2.4	1.1	355	9.7
inc.	337.0	338.8	1.9	1.0		236	0.11	0.31	3.1	1.2	459	12.6
	451.5	469.1	17.6	9.4		16	0.00	0.08	0.7	0.7	91	2.3
inc.	459.0	460.5	1.4	0.8		33	0.00	0.22	1.4	2.2	218	5.4
15CLM-084	471.0	472.4	1.4	0.8		196	0.02	0.06	0.8	0.1	243	7.0
	598.6	600.5	1.9	1.1		94	0.01	0.08	4.0	3.2	417	10.6
inc.	599.7	600.5	0.8	0.5		191	0.01	0.17	8.0	6.4	843	21.5
16CLM-087	529.1	532.0	2.9	2.3		5	0.21	0.00	0.1	0.0	16	0.4
inc.	531.4	532.0	0.6	0.4		21	0.63	0.00	0.5	0.2	65	1.7
18CLM-111	24.1	27.0	2.9	2.0		76	0.01	0.02	1.7	0.9	194	5.2
	256.9	257.5	0.6	0.4		506	0.21	0.09	14.1	15.1	1812	46.2
18CLM-112	2.4	3.0	0.7	0.5		128	0.03	0.24	0.7	0.0	184	5.3
18CLM-113	91.3	92.2	0.9	0.7		145	0.03	0.00	2.7	0.7	293	8.1
	304.6	306.5	1.8	1.5		239	0.66	0.04	1.8	0.7	366	10.2
	398.5	399.5	1.0	0.8		154	0.01	0.23	7.3	9.2	913	22.6
18CLM-114	104.8	105.8	1.1	0.6		66	0.04	0.01	2.4	0.4	185	5.0

Cerro Las Minitas Property, Durango, Mexico 2011-2018 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-002	93.7	94.3	0.6	0.4	94	0.02	0.02	1.6	3.3	333	6.5	
	104.0	105.9	1.9	1.2	124	0.02	0.21	2.2	1.1	295	5.7	
	135.6	136.9	1.3	0.9	170	0.09	0.06	0.5	0.2	217	4.2	
12CLM-035	251.2	251.7	0.5	0.3	153	0.10	0.02	2.9	0.4	304	5.9	
12CLM-037	118.9	130.3	11.4	8.0	7	0.30	0.01	0.3	0.2	55	1.1	
15CLM-078	77.8	85.6	7.8	3.9	37	13.51	0.01	2.2	1.7	1254	24.3	
	inc.	77.8	79.7	1.9	1.0	74	27.74	0.01	6.4	3.5	2652	51.4
		195.0	211.5	16.5	8.2	150	0.49	0.01	3.4	0.7	365	7.1
	inc.	196.1	200.3	4.2	2.1	354	1.09	0.02	7.9	0.7	802	15.5
	inc.	196.1	196.9	0.8	0.4	1170	1.13	0.03	21.9	1.2	2229	43.2
		221.2	232.3	11.1	5.6	236	0.76	0.03	3.7	1.7	535	10.4
	inc.	222.2	228.7	6.5	3.3	365	1.26	0.04	5.7	2.2	814	15.8
	inc.	222.2	224.2	2.0	1.0	808	2.26	0.01	12.4	3.0	1652	32.0
		235.7	237.6	1.9	1.0	425	0.01	0.06	9.3	1.2	876	17.0
	inc.	236.5	236.8	0.3	0.2	2430	0.02	0.37	53.5	5.7	4980	96.4
		248.0	252.1	4.1	2.1	200	0.03	0.01	3.4	0.5	373	7.2
	inc.	249.0	250.0	1.0	0.5	601	0.05	0.02	10.7	1.2	1113	21.6
		255.4	262.6	7.2	3.6	584	0.16	0.06	10.4	1.4	1105	21.4
inc.	255.4	259.9	4.5	2.2	903	0.23	0.08	16.1	2.2	1706	33.0	
	324.4	331.7	7.3	3.7	291	0.16	0.02	7.2	0.9	651	12.6	
inc.	327.4	331.7	4.3	2.2	454	0.24	0.04	11.2	1.2	1002	19.4	
15CLM-082	44.5	46.2	1.7	0.8	4	0.64	0.00	0.3	0.4	84	1.6	
	184.3	194.4	10.1	4.8	88	1.39	0.05	1.6	2.1	378	7.3	
	inc.	184.3	186.9	2.6	1.3	322	5.00	0.17	5.7	7.7	1358	26.3
15CLM-083	419.7	420.5	0.8	0.4	308	0.10	0.15	8.3	8.1	1094	21.2	
		431.8	437.8	6.0	3.2	124	0.05	0.04	1.8	0.5	233	4.5
	inc.	434.0	435.0	1.0	0.5	530	0.08	0.03	8.5	1.2	957	18.5
		444.2	445.9	1.7	0.9	224	0.11	0.28	2.3	1.2	425	8.2
	inc.	444.2	445.0	0.8	0.4	439	0.15	0.54	4.9	1.9	813	15.8
		481.6	490.1	8.6	4.6	195	0.18	0.37	0.7	2.5	411	8.0
inc.	487.4	489.3	1.9	1.0	636	0.51	0.73	2.8	8.0	1286	24.9	
11CLM-010 (extended in 2015)	503.5	509.3	5.8	3.5	130	0.38	1.12	1.3	9.3	817	15.8	
	inc.	503.5	506.5	3.0	1.8	196	0.10	1.12	2.3	15.1	1207	23.4
15CLM-080	HOLE LOST	Anomalous Au mineralization at end										
11CLM-001 (extended in 2016)	751.1	759.6	8.6	UNK	16	0.02	0.06	0.2	0.2	42	0.8	
	inc.	758.6	759.6	1.0	UNK	80	0.02	0.11	0.8	0.9	175	3.4
		864.5	876.0	11.5	UNK	12	0.15	0.24	0.0	1.6	134	2.6
	inc.	865.7	867.0	1.3	UNK	41	1.18	1.05	0.0	7.7	650	12.6
	inc.	887.7	897.4	9.8	UNK	20	0.02	0.22	0.2	0.1	60	1.2
	896.0	897.4	1.4	UNK	112	0.04	1.04	1.1	0.8	320	6.2	
16CLM-090	163.0	163.6	0.6	0.3	81	0.07	0.00	1.7	0.5	185	3.6	
		300.1	303.8	3.7	2.4	6	0.02	0.14	0.0	0.9	68	1.3
	inc.	301.5	302.7	1.3	0.8	2	0.02	0.04	0.0	1.8	103	2.0
		314.5	317.5	3.0	1.9	7	0.02	0.15	0.0	0.0	27	0.5
	inc.	316.7	317.8	1.1	0.7	24	0.05	0.67	0.0	0.1	108	2.1
17CLM-092	130.7	131.2	0.5	0.3	33	0.13	0.00	0.4	1.3	127	2.5	
		241.5	242.1	0.6	0.3	178	0.13	0.01	4.7	2.8	526	10.2
		370.2	371.7	1.6	0.8	36	0.36	0.92	0.0	1.2	231	4.5
17CLM-093	284.6	288.3	3.7	1.8	1	0.33	0.00	0.0	0.1	33	0.6	
		585.0	586.3	1.3	0.7	75	0.01	0.01	0.5	1.4	168	3.3

SOUTH SKARN TARGET												
Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
12CLM-031	72.5	107.3	34.8	UNK	4	0.02	0.06	0.0	1.2	76	1.5	
	inc.	104.9	107.3	2.4	UNK	16	0.03	0.22	0.0	9.8	551	10.7
11CLM-033	NSV											
12CLM-040	18.6	19.0	0.4	UNK	321	0.72	0.01	5.6	6.2	925	17.9	
		200.5	201.0	0.5	UNK	92	0.11	0.01	3.0	0.6	257	5.0
		255.7	266.7	11.0	UNK	13	0.01	0.19	0.1	1.0	88	1.7
12CLM-055	180.6	200.7	20.1	12.5	13	0.77	0.01	0.3	0.2	93	1.8	
	inc.	193.7	198.0	4.3	2.7	28	2.78	0.02	0.5	0.3	278	5.4
		224.1	228.4	4.3	2.7	89	1.43	1.81	0.1	0.2	419	8.1
	256.4	258.6	2.2	1.7	55	0.02	0.03	1.1	1.3	174	3.4	
13CLM-063	228.6	230.2	1.6	1.1	160	1.03	0.09	3.3	0.4	402	7.8	
13CLM-067	194.1	195.6	1.5	1.0	3	0.15	0.01	1.9	0.3	108	2.1	

Cerro Las Minitas Property, Durango, Mexico
2011-2018 Composite Summary Spreadsheet Divided by Zone

SOUTH SKARN TARGET (Continued)												
Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
13CLM-068	285.4	299.3	13.9	8.4	136	0.24	0.03	2.4	1.3	326	6.3	
inc.	285.4	287.8	2.4	1.5	546	0.18	0.15	10.3	3.8	1199	23.2	
	307.0	307.9	0.9	0.5	1140	0.42	0.10	18.1	21.0	3015	58.4	
13CLM-069	380.5	382.7	2.2	1.2	225	0.72	0.17	3.5	0.5	468	9.1	
13CLM-073	433.5	433.9	0.4	0.2	21	0.22	0.75	0.0	3.4	300	5.8	
	449.6	454.2	4.6	2.5	15	0.06	0.43	0.0	0.0	70	1.4	
14CLM-074	160.5	165.2	4.8	2.2	16	0.33	0.01	0.7	1.5	145	2.8	
inc.	163.9	165.2	1.3	0.6	46	1.12	0.02	1.8	4.9	458	8.9	
	418.7	423.2	4.8	2.2	24	0.13	0.51	0.0	0.1	95	1.8	
14CLM-075	850.8	852.5	1.7	UNK	129	0.06	0.04	0.2	0.0	149	2.9	
15CLM-079	138.3	140.3	2.0	1.3	64	0.37	0.02	5.4	2.9	467	9.0	
	393.0	399.0	6.0	3.9	23	2.49	0.00	0.2	0.1	225	4.4	
inc.	395.0	396.0	1.0	0.7	41	11.70	0.01	0.1	0.0	945	18.3	
	461.9	468.5	6.6	4.3	135	0.02	0.03	1.6	0.4	228	4.4	
inc.	461.9	463.7	1.8	1.2	300	0.04	0.03	2.0	0.5	413	8.0	
and inc.	467.3	468.5	1.2	0.7	227	0.02	0.10	4.8	1.4	511	9.9	

NORTH SKARN TARGET												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-003	18.9	19.9	1.0	UNK	86	0.27	1.73	0.0	0.0	307	5.9	
	262.8	263.3	0.4	UNK	164	0.04	1.16	3.3	6.8	785	15.2	
	283.5	283.9	0.4	UNK	382	0.12	0.07	6.3	1.6	741	14.3	
	419.6	436.2	16.6	UNK	55	0.02	0.80	0.3	1.5	237	4.6	
inc.	428.8	430.3	1.5	UNK	72	0.02	1.45	0.5	1.6	341	6.6	
and inc.	432.0	433.6	1.6	UNK	62	0.02	1.25	0.4	1.5	298	5.8	
11CLM-004	155.6	156.0	0.4	UNK	152	0.17	0.00	0.5	0.0	186	3.6	
11CLM-005	NSV											
11CLM-020	197.8	198.4	0.7	UNK	120	0.02	0.02	5.4	1.9	446	8.6	
12CLM-050	123.9	125.0	1.1	UNK	69	0.01	0.19	2.7	2.5	331	6.4	
12CLM-058	102.3	103.6	1.3	UNK	466	0.43	0.17	0.3	0.0	533	10.3	
15CLM-084	103.5	104.5	1.0	UNK	153	0.03	0.61	6.2	6.7	669	12.9	
15CLM-086	103.2	103.6	0.4	UNK	108	0.01	0.04	6.7	1.6	475	9.2	
	201.3	203.4	2.1	UNK	79	0.04	0.03	2.2	1.7	264	5.1	
inc.	202.9	203.4	0.4	UNK	307	0.16	0.08	8.8	5.6	978	18.9	

NORTH IP TARGET												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-009	Lost											
12CLM-039	NSV											
12CLM-052	NSV											
15CLM-085	NSV											

OTHER TARGETS												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-001	296.2	297.4	1.2	UNK	99	0.01	0.14	0.0	0.0	120	2.3	
11CLM-007	178.2	178.8	0.6	UNK	71	0.12	0.00	0.9	0.1	121	2.3	
13CLM-064	NSV											
13CLM-065	NSV											
13CLM-070	NSV											
17CLM-102	NSV											
17CLM-104	NSV											

Notes:

- Silver Equivalent and Zinc Equivalent for the Blind, El Sol, Las Victorias and Skarn Front Zones was calculated using the parameters in the May 2019 Technical Report
- Silver Equivalent and Zinc Equivalent for all other zones was calculated using prices of \$1275/oz for Au, \$16.6/oz for Ag, \$2.75/lb for Cu, \$1.00/lb for Pb and \$1.25 for Zn. Calculations in these zones did not account for relative metallurgical recoveries of the metals