

Cerro Las Minitas Property, Durango, Mexico 2011-2014 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE TARGET											
Hole No.		From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t
11CLM-008		74.5	75.1	0.6	0.3	166	0.0	0.3	5.9	7.9	680
		168.4	171.4	3.0	1.5	895	0.2	0.0	13.8	11.6	1799
	inc.	168.4	168.9	0.5	0.3	260	0.2	0.0	10.5	17.2	1242
	and inc.	169.6	171.4	1.8	0.9	1400	0.3	0.0	19.7	14.5	2617
		177.1	179.3	2.2	1.1	62	0.1	0.1	1.9	1.6	192
11CLM-011		65.8	68.4	2.6	1.9	179	0.1	0.3	5.6	6.6	645
		131.6	136.6	5.0	3.6	224	0.4	0.0	4.2	5.8	602
	inc.	134.5	135.6	1.2	0.8	540	0.5	0.1	9.5	18.7	1574
11CLM-012		90.6	93.8	3.2	2.2	110	0.4	0.0	0.6	0.1	159
		109.2	111.4	2.2	1.5	259	0.1	0.9	9.1	11.8	1092
	inc.	109.2	110.1	0.9	0.6	336	0.2	1.4	12.7	12.2	1362
		113.0	113.4	0.3	0.2	110	0.1	0.2	4.9	9.1	635
11CLM-013		121.8	122.5	0.7	0.5	218	0.1	0.1	6.7	5.1	644
11CLM-014		333.1	333.8	0.6	0.4	414	0.8	0.0	2.1	2.3	625
		366.8	369.2	2.4	1.7	100	0.1	0.5	2.5	5.2	425
11CLM-015		32.3	33.1	0.9	0.7	247	0.0	0.3	6.5	3.1	607
		51.6	52.3	0.7	0.6	116	0.0	0.3	4.3	2.7	394
11CLM-016		152.4	164.1	11.7	6.5	114	0.0	0.2	3.3	4.9	421
	inc.	158.2	159.8	1.6	0.9	390	0.1	0.5	11.9	17.1	1462
		176.4	179.6	3.2	1.9	98	0.0	0.2	3.5	3.9	379
11CLM-017		99.6	101.2	1.6	1.0	217	0.1	0.1	2.8	1.3	374
		104.4	105.1	0.7	0.4	67	0.0	0.1	1.4	6.5	358
11CLM-018		159.5	160.4	0.9	0.6	326	0.1	0.1	4.2	0.2	491
		187.3	187.9	0.6	0.4	80	0.1	0.1	2.0	2.0	246
		191.5	191.9	0.4	0.3	717	0.1	0.2	11.7	14.4	1650
		209.3	212.4	3.1	2.1	209	0.0	0.5	6.5	6.5	714
11CLM-019		229.9	231.2	1.3	0.7	126	0.2	0.1	3.1	3.6	378
	inc.	230.9	231.2	0.3	0.2	359	0.5	0.2	8.1	9.3	1024
11CLM-021		66.1	66.6	0.5	0.2	920	0.2	0.1	18.4	11.1	1971
		94.0	95.0	1.1	0.4	77	0.0	0.0	2.2	0.8	188
11CLM-022		209.3	210.3	0.9	0.8	611	0.1	0.7	18.5	13.1	1786
		232.2	233.7	1.4	1.3	528	0.1	0.0	10.5	1.3	942
11CLM-023		251.5	252.7	1.2	0.8	52	0.0	0.2	0.3	4.8	259
		267.8	273.8	6.0	4.1	95	0.0	0.1	2.7	3.8	337
	inc.	269.0	269.4	0.4	0.3	184	0.0	0.1	6.5	8.9	738
	and inc.	270.7	272.1	1.4	1.0	217	0.0	0.2	6.2	8.7	765
		293.8	320.5	26.7	18.4	69	0.1	0.1	1.9	2.3	234
	inc	300.1	312.5	12.4	8.5	134	0.1	0.2	4.0	4.5	455
inc.	310.0	311.6	1.6	1.1	404	0.0	0.4	13.2	11.5	1303	
11CLM-024		119.1	124.7	5.7	3.2	71	0.2	0.1	1.8	1.5	208
inc.	119.1	120.0	0.9	0.5	92	0.2	0.2	2.7	2.9	316	
11CLM-025	NSV										
11CLM-026		69.0	72.0	3.0	2.1	165	0.0	0.1	5.5	4.5	525
		102.5	103.4	1.0	0.7	240	0.0	0.9	6.6	8.3	852
		116.3	117.8	1.5	1.1	127	0.0	0.2	4.2	4.9	465
		131.7	132.7	1.0	0.7	65	0.0	0.1	2.6	2.7	253
		141.5	142.4	0.9	0.6	75	0.0	0.0	2.8	3.0	280
11CLM-027 <i>(Continued from El Sol)</i>		220.2	223.6	3.4	1.3	146	0.0	0.1	6.4	3.5	499
11CLM-028		433.8	435.6	1.8	0.7	161	0.0	0.3	2.1	4.0	410
		50.5	55.4	4.9	3.7	88	0.0	0.1	2.0	0.9	195
		89.3	90.3	1.1	0.8	87.1	0.1	0.0	3.4	2.8	312
		113.6	114.6	1.1	0.8	79	0.0	0.1	2.6	3.4	299
		115.6	116.8	1.3	0.9	146	0.0	0.1	4.7	7.8	598
12CLM-030		284.8	287.0	2.1	1.2	76	0.0	0.1	2.8	3.4	306
	inc.	286.0	287.0	0.9	0.5	119	0.0	0.2	4.5	5.8	501
		329.9	330.9	1.0	0.6	250	0.0	0.3	10.7	16.9	1244
11CLM-032		344.3	349.5	5.2	2.8	95	0.1	0.0	1.6	2.3	241
	inc.	347.5	349.5	2.1	1.1	138	0.0	0.0	2.2	3.4	342
		378.4	382.1	3.7	2.0	159	1.5	0.1	4.1	4.5	569
	inc.	378.4	380.7	2.3	1.3	204	2.0	0.1	5.0	5.1	699
		443.8	445.9	2.1	1.1	76	0.0	0.5	1.3	1.3	221
12CLM-034		63.0	115.5	52.5	26.8	16	0.0	0.0	0.5	0.6	58
	inc	79.5	81.2	1.7	0.8	119	0.0	0.2	3.3	3.9	388
	and inc.	89.6	91.7	2.1	1.0	67	0.0	0.1	1.1	0.6	133
	and inc.	106.4	108.4	2.1	1.0	70	0.0	0.2	3.1	5.1	382
	and inc.	114.0	115.5	1.5	0.8	46	0.0	0.3	4.5	2.6	330
		170.7	172.2	1.5	0.7	338	0.0	0.5	11.1	15.9	1330
		202.2	204.7	2.5	1.1	98	0.1	0.1	3.1	1.8	281
	231.0	233.0	2.0	0.9	151	0.0	0.2	4.7	6.5	561	

Cerro Las Minitas Property, Durango, Mexico 2011-2014 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE TARGET (Cont.)											
Hole No.		From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	
12CLM-041		101.6	103.9	2.3	1.6	44	0.0	0.0	1.2	0.8	118
		117.4	117.9	0.6	0.4	276	0.0	0.0	5.3	0.1	469
		138.5	143.1	4.6	3.1	203	0.0	0.3	4.9	4.2	552
	inc	141.9	143.1	1.2	0.8	499	0.1	0.4	10.4	10.4	1272
12CLM-042		190.1	191.7	1.6	1.0	72	0.1	0.0	0.6	0.2	114
12CLM-043		177.8	182.0	4.2	3.2	145	0.0	0.4	2.7	2.0	350
	inc.	177.8	178.2	0.4	0.3	119	0.0	0.0	2.6	0.1	214
	and inc.	180.6	182.0	1.3	1.0	398	0.0	1.1	7.3	6.2	988
12CLM-045		194.1	194.9	0.8	0.6	421	0.0	0.2	15.2	6.8	1213
		216.5	218.1	1.6	1.1	36	0.0	0.0	1.2	1.1	123
	inc.	216.5	216.9	0.4	0.3	47	0.0	0.1	1.4	1.8	165
	and inc.	217.5	218.1	0.6	0.4	62	0.0	0.0	2.4	1.8	210
		229.5	230.1	0.6	0.4	103	0.0	0.0	3.7	3.6	362
12CLM-047		162.6	167.0	4.4	3.0	186	0.0	0.2	5.6	4.6	557
	inc.	162.6	165.5	2.9	1.9	254	0.0	0.2	7.8	4.9	716
	and inc.	165.5	167.0	1.4	0.9	46	0.0	0.1	1.1	3.9	235
		170.8	171.2	0.3	0.2	89	0.1	0.3	2.2	11.3	599
		186.8	189.6	2.8	1.8	71	0.0	0.1	2.0	2.9	255
	inc.	186.8	187.4	0.7	0.4	114	0.1	0.2	3.5	5.1	438
	and inc.	189.0	189.6	0.6	0.4	202	0.0	0.3	5.5	8.1	705
		195.8	196.1	0.3	0.2	50	0.1	0.0	1.5	2.5	197
12CLM-049		108.4	111.1	2.7	2.3	87	0.4	0.2	5.4	5.3	504
		116.7	117.2	0.5	0.4	1040	0.1	0.0	16.7	2.9	1724
		168.8	172.2	3.4	2.9	97	0.0	0.2	2.5	2.1	280
	inc.	168.8	170.2	1.4	1.2	93	0.0	0.3	2.3	3.0	306
	and inc.	170.2	172.2	2.0	1.7	100	0.0	0.2	2.7	1.5	263
		189.0	191.1	2.1	1.8	34	0.0	0.1	0.8	1.2	113
		216.0	216.5	0.5	0.4	93	0.0	0.0	3.5	4.3	367
12CLM-051		8.3	9.2	0.9	0.7	292	0.0	0.7	5.7	4.0	700
		22.6	23.1	0.5	0.4	21	0.0	0.1	1.9	0.8	124
		43.3	43.8	0.5	0.4	98	0.0	0.0	3.2	0.4	223
		50.9	70.9	20.0	14.7	143	0.0	0.0	2.4	0.6	254
	inc.	60.7	66.9	6.2	4.6	238	0.1	0.0	3.2	0.1	359
	inc inc.	63.0	63.9	0.9	0.7	833	0.1	0.0	8.8	0.1	1151
12CLM-053		35.8	38.0	2.2	1.6	87	0.0	0.3	2.4	0.4	214
		71.8	72.1	0.3	0.2	41	0.0	0.1	4.5	3.3	325
12CLM-054		169.0	170.7	1.7	1.2	230	0.0	0.2	6.2	9.3	798
12CLM-056		12.7	18.4	5.7	4.0	335	0.1	0.8	16.3	4.5	1145
	inc.	13.6	17.8	4.2	2.9	409	0.1	1.0	20.5	4.0	1371
12CLM-057		350.2	350.6	0.4	0.3	127	0.0	0.0	4.3	4.2	424
12CLM-059		12.0	31.1	19.1	15.5	30	0.0	0.0	0.6	0.2	60
	inc.	12.0	12.9	0.9	0.7	72	0.0	0.0	2.1	1.7	210
	and inc.	29.8	31.1	1.3	1.0	65	0.0	0.0	1.6	0.2	130
		41.2	57.0	15.8	12.8	26	0.0	0.0	0.5	0.6	69
		53.7	57.0	3.3	2.7	53	0.0	0.1	1.9	2.1	207
	inc.	53.7	55.2	1.6	1.3	68	0.0	0.0	0.9	1.9	169
	and inc.	55.2	57.0	1.8	1.4	39	0.0	0.3	2.8	2.2	241
12CLM-060		39.0	52.7	13.7	10.3	34	0.1	0.0	0.5	0.3	72
	inc.	47.5	49.4	1.9	1.4	130	0.1	0.0	2.4	0.5	244
12CLM-061		86.3	96.8	10.6	8.6	76	0.0	0.0	1.9	0.6	165
	inc.	86.3	87.5	1.3	1.0	382	0.0	0.2	9.9	5.1	924
		94.0	96.8	2.8	2.3	201	0.0	0.0	4.6	0.4	374
	inc.	94.0	94.5	0.5	0.4	537	0.1	0.1	9.7	0.5	907
	and inc.	96.0	96.8	0.8	0.7	247	0.0	0.0	6.7	0.6	499
12CLM-062		238.0	238.8	0.9	0.7	125	0.0	0.1	4.2	3.8	417
	inc.	238.0	238.4	0.4	0.3	211	0.0	0.2	7.2	7.9	762
		263.4	269.5	6.1	5.2	62	0.0	0.0	1.6	0.1	126
	inc.	263.4	265.5	2.1	1.8	82	0.0	0.0	2.0	0.0	160
	and inc.	267.6	269.5	1.9	1.7	61	0.0	0.0	2.0	0.2	141
		280.0	282.6	2.6	2.2	160	0.0	0.5	3.7	2.9	437
		291.6	292.1	0.5	0.4	177	0.0	0.6	5.5	9.0	749
13CLM-066		62.8	63.8	1.1	0.4	4	8.6	0.0	0.1	0.1	592
		88.4	97.5	9.2	3.1	401	0.1	0.1	8.5	5.1	891
	inc.	92.9	97.5	4.6	1.6	727	0.2	0.1	13.5	7.0	1462
	inc.	92.9	95.0	2.1	0.7	1190	0.2	0.0	21.6	13.0	2407
		138.0	151.1	13.1	4.4	53	0.1	0.1	2.9	1.4	224
		149.0	151.1	2.1	0.7	68	0.6	0.3	5.6	2.5	421
		165.8	176.8	11.0	3.7	53	0.1	0.1	3.9	3.5	331
13CLM-071		418.9	421.6	2.7	1.0	73	0.0	0.1	1.8	2.8	246
13CLM-072		102.5	102.8	0.3	0.2	87	0.0	0.1	1.9	1.0	201

Cerro Las Minitas Property, Durango, Mexico 2011-2014 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET											
Hole No.		From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	
11CLM-002		93.7	94.3	0.6	0.4	94	0.0	0.0	1.6	3.3	269
		104.0	105.9	1.9	1.2	124	0.0	0.2	2.2	1.1	261
		135.6	136.9	1.3	0.9	170	0.1	0.1	0.5	0.2	208
12CLM-035		251.2	251.7	0.5	0.3	153	0.1	0.0	2.9	0.4	276
12CLM-037		118.9	130.3	11.4	8.0	7	0.3	0.0	0.3	0.2	46

NORTH SKARN TARGET											
Hole No.		From m	To m	Interval m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	
11CLM-003		18.9	19.9	1.0	UNK	86	0.3	1.7	0.0	0.0	289
		262.8	263.3	0.4	UNK	164	0.0	1.2	3.3	6.8	642
		283.5	283.9	0.4	UNK	382	0.1	0.1	6.3	1.6	669
		419.6	436.2	16.6	UNK	56	0.0	0.8	0.3	1.6	212
	inc.	428.8	430.3	1.5	UNK	72	0.0	1.5	0.5	1.6	300
	and inc.	432.0	433.6	1.6	UNK	62	0.0	1.3	0.4	1.5	261
11CLM-004		155.6	156.0	0.4	UNK	152	0.2	0.0	0.5	0.0	180
11CLM-005	NSV										
11CLM-020		197.8	198.4	0.7	UNK	120	0.0	0.0	5.4	1.9	376
12CLM-050		123.9	125.0	1.1	UNK	69	0.0	0.2	2.7	2.5	270
12CLM-058		86.3	87.5	1.3	UNK	382	0.0	0.2	9.9	5.1	924

SOUTH SKARN TARGET											
Hole No.		From m	To m	Interval m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	
12CLM-031		72.5	107.3	34.8	UNK	4	0.0	0.1	0.0	1.2	55
	inc.	104.9	107.3	2.4	UNK	16	0.0	0.2	0.0	9.8	390
11CLM-033	NSV										
12CLM-040		18.6	19.0	0.4	UNK	321	0.7	0.0	5.6	6.2	780
		200.5	201.0	0.5	UNK	92	0.1	0.0	3.0	0.6	225
		255.7	266.7	11.0	UNK	13	0.0	0.2	0.1	1.0	70
12CLM-055		180.6	200.7	20.1	12.5	13	0.8	0.0	0.3	0.2	81
		193.7	198.0	4.3	2.7	28	2.8	0.0	0.5	0.3	245
		224.1	228.4	4.3	2.7	89	1.4	1.8	0.1	0.2	388
		256.4	258.6	2.2	1.7	55	0.0	0.0	1.1	1.3	144
13CLM-063		228.6	230.2	1.6	UNK	160	1.0	0.1	3.3	0.4	363
13CLM-067		194.1	195.6	1.5	UNK	3	0.1	0.0	1.9	0.3	89
13CLM-068		209.7	213.1	3.4	2.1	78	0.2	0.0	2.3	0.9	208
		285.4	299.3	13.9	8.4	136	0.2	0.0	2.4	1.3	285
	inc.	285.4	287.8	2.4	1.5	546	0.2	0.1	10.3	3.8	1062
		307.0	307.9	0.9	0.5	1140	0.4	0.1	18.1	21.0	2543
13CLM-069		380.5	382.7	2.2	1.2	225	0.7	0.2	3.5	0.5	428
13CLM-073		433.5	433.9	0.4	0.2	21	0.2	0.7	0.0	3.4	236
		438.7	438.9	0.2	0.1	53	0.1	0.1	0.0	1.5	123
		449.6	454.2	4.6	2.5	15	0.1	0.4	0.0	0.0	66
14CLM-074		160.5	165.2	4.8	2.2	16	0.3	0.0	0.7	1.5	113
	inc.	163.9	165.2	1.3	0.6	46	1.1	0.0	1.8	4.9	357
		346.6	448.5	102.0	47.9	10	0.1	0.0	0.1	0.1	26
	inc.	408.6	423.2	14.6	6.8	15	0.1	0.2	0.0	0.0	45
	inc.	417.0	423.2	6.2	2.9	24	0.1	0.4	0.0	0.0	79
		636.0	639.0	3.0	1.4	8	0.0	0.3	0.0	0.0	40
14CLM-075		512.0	515.4	3.4	UNK	15	0.4	0.2	0.0	1.4	116
		639.3	646.2	6.9	UNK	18	0.0	0.3	0.0	0.1	52
		850.8	852.5	1.7	UNK	129	0.1	0.0	0.2	0.0	146

EL SOL ZONE TARGET											
Hole No.		From m	To m	Interval m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	
11CLM-006		55.8	56.2	0.4	0.2	84	0.0	0.1	2.5	3.3	293
		73.8	75.4	1.7	0.9	68	0.0	0.1	1.5	1.6	188
		215.5	223.3	7.8	4.2	221	0.1	0.1	6.2	2.1	525
	inc.	221.5	223.3	1.8	1.0	650	0.4	0.1	16.0	0.8	1267
(Deeper intercepts under Santo Nino Chimney)		410.5	411.3	0.7	0.4	162	0.0	0.4	2.1	10.4	643
		424.2	427.9	3.7	2.0	184	0.0	2.0	0.3	18.4	1056
	inc.	424.8	427.9	3.1	1.7	212	0.0	2.2	0.4	20.7	1197
11CLM-011 (Continued from Blind Zone)		316.7	319.2	2.4	1.9	75	0.0	0.1	3.6	4.2	362
	inc.	316.7	318.6	1.8	1.4	76	0.0	0.1	4.0	4.6	389

Cerro Las Minitas Property, Durango, Mexico
2011-2014 Composite Summary Spreadsheet Divided by Zone

EL SOL ZONE TARGET (Cont.)											
Hole No.		From m	To m	Interval m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	
11CLM-012		234.9	236.1	1.2	0.9	132	0.0	0.1	0.3	5.6	355
(Continued from Blind Zone)		248.4	248.8	0.4	0.3	50	0.0	0.1	2.2	4.6	296
11CLM-015		147.4	148.7	1.3		165	0.0	0.2	6.2	2.4	480
(Continued from Blind Zone)	inc.	147.4	148.1	0.7		276	0.0	0.3	10.6	3.0	779
11CLM-027		0.6	25.4	24.8	9.3	124	0.0	0.1	1.9	2.1	273
	inc.	9.0	11.8	2.8	1.1	404	0.0	0.0	1.4	2.5	542
	and inc.	20.9	22.4	1.5	0.6	125	0.0	0.1	2.6	4.0	362
		34.8	36.1	1.4	0.5	26	0.0	0.0	0.8	1.7	119
		48.1	50.8	2.7	1.0	45	0.0	0.1	4.2	5.3	387
	inc.	49.7	50.8	1.1	0.4	88	0.0	0.1	7.9	8.6	677
11CLM-029		96.6	99.3	2.7	1.9	52	0.0	0.0	2.4	0.8	169
12CLM-036	NSV										0
12CLM-038		24.0	41.7	17.7	8.9	20	0.0	0.0	0.4	0.7	62
	inc.	36.0	40.0	4.0	2.0	58	0.0	0.2	1.5	2.4	210
	and inc.	36.0	38.7	2.7	1.4	83	0.0	0.2	2.0	2.6	260
	inc inc.	38.0	38.7	0.7	0.4	167	0.0	0.5	6.2	3.6	562
		59.5	74.5	15.0	7.5	29	0.0	0.0	0.3	1.1	80
	inc.	70.8	72.5	1.8	0.9	98	0.0	0.2	1.3	4.5	320
12CLM-044		57.6	83.6	26.1	17.3	67	0.0	0.1	2.8	3.3	292
	inc.	61.1	63.2	2.1	1.4	130	0.0	0.2	5.8	6.3	570
	and inc.	71.0	72.8	1.8	1.2	163	0.0	0.4	6.9	8.8	757
	and inc.	78.3	80.7	2.5	1.6	153	0.1	0.1	6.3	7.5	649
		96.0	97.1	1.1	0.7	265	0.1	0.2	12.4	12.9	1175
12CLM-046		104.2	105.3	1.1	0.6	179	0.0	0.1	9.4	8.1	803
		145.1	151.5	6.4	3.8	75	0.0	0.3	2.7	3.7	330
	inc.	147.7	150.1	2.4	1.4	98	0.0	0.2	3.7	7.9	523
		185.5	211.5	26.1	15.4	62	0.0	0.3	1.4	0.7	164
		195.5	201.4	5.9	3.5	133	0.0	0.8	1.3	0.5	285
	inc.	195.5	196.3	0.8	0.4	745	0.1	5.1	0.8	0.4	1328
		208.2	211.5	3.3	2.0	74	0.0	0.1	4.0	1.2	264
12CLM-48		24.1	24.8	0.7		60	0.0	0.2	2.0	2.1	227
13CLM-066		513.0	585.2	72.2	12.7	29	0.0	0.0	0.5	3.7	179
(Continued from Blind Zone)	inc.	534.6	585.2	50.6	8.9	41	0.0	0.0	0.7	5.3	255
	inc.	546.0	561.0	15.0	2.6	67	0.0	0.0	0.5	6.0	296
	and inc.	573.0	585.2	12.2	2.1	45	0.0	0.0	1.7	10.8	489
		633.3	642.6	9.3	1.6	9	0.0	0.1	0.1	13.0	487
	inc.	638.2	640.4	2.1	0.4	14	0.0	0.4	0.0	20.6	786
13CLM-071		505.5	508.5	3.0	1.0	56	0.0	0.2	1.3	4.1	267
(Continued from Blind Zone)		591.0	595.5	4.5	1.5	115	0.0	0.0	2.7	4.2	361
	inc.	594.0	595.5	1.5	0.5	238	0.0	0.1	5.7	9.1	761
		683.4	687.5	4.1	1.4	44	0.0	0.0	0.6	4.7	233
	inc.	683.4	685.4	2.0	0.7	82	0.0	0.0	1.1	8.2	410

NORTH IP TARGET											
Hole No.		From m	To m	Interval m		Ag g/t	Au g/t	Cu %	Pb %	Zn %	
11CLM-009	Lost										
11CLM-010	NSV										
12CLM-039	NSV										
12CLM-052	NSV										

OTHER TARGETS											
Hole No.		From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	
11CLM-001		296.2	297.4	1.2	UNK	99	0.0	0.1	0.0	0.0	117
11CLM-007		178.2	178.8	0.6	UNK	71	0.1	0.0	0.9	0.1	112
13CLM-064	NSV										
13CLM-065	NSV										
13CLM-070	NSV										

N.B. Silver Equivalent was calculated using the approximate 2yr trailing average metal prices as of september 25th, 2015 (us\$1,240/oz Au, us\$18.20/oz Ag, us\$2.80/lb Cu, us\$0.91/lb Pb and us\$0.94/lb Zn) No upper or lower cutoffs were used when compositing assays.